

PURCHASE ORDER

Customer
Ocean Trailer
100 Golden Drive
Coquitlam, BC V3K-6T1
604-945-3718

Dealer #
894 Ocean Trailer
Salesperson
Bill Gracey
PO Number(s)
66649 thru 66698
UTM Quote # CA57431

To
Utility Trailer Mfg. Co



The First Name In Trailers
17295 E. Railroad St
City of Industry, CA 91748

Page 1 of 5

FACTORY USE ONLY

Production No _____ Unit to Unit
001 050

Credit Approval _____ ACRS
Credit Code No _____

Production Date ____/____/____ Line
____/____/____

DIS Ver. 4 4 24
PBK Ver. 08/01/2014
T&W Ver. 08/01/2014
PO Status Original

UTM Quote # CA57431
Date 10/3/2014
Expires On 11/2/2014
Quote Status Current

DQS #: 894-1BIL092314-12075
PQU Applied CRS Disabled

Requested Factory Production
Utah
Requested Production Date
3/2/2015
Shipping Instructions
Dealer Arranged

Specifications

List Total

Base Model VS2RA

50 Units Ordered

Overall Length	53'0"
Overall Height	13'6"
Fifth Wheel Height	46-1/2"
Front Post Height	107 1/8"
Rear Post Height	107 1/8"
Overall Width	102-3/8"
GVWR	65,000
Kingpin Location	36"
Front Susp. Location	--
Rear Susp. Location	SLIDER
Reefer Unit Preparation	PREP FOR THERMO KING SB SERIES SINGLE COMPARTMENT FRONT MOUNT REEFER UNIT W/O ELECTRIC STANDBY

Options

Option #	Level	Qty	Description	List/Ea.	List Total
1-500-1	A		FRENCH/ENGLISH SER PLT REQD FOR IMPORT TO CANADA		
5-336-XXX			ARCTIC GREASE LANDING LEG LUBRICATION		
6-18-XXX			DO NOT NOTCH BOTTOM RAIL AT REAR		

* Indicates that UTM DQS notes exist for this option

October 3, 2014

C:\Users\Public\UTM\DQS\PO32.rpt

Customer
Ocean Trailer
Dealer #: 894 Ocean Trailer
UTM Quote #: CA57431

PURCHASE ORDER



The First Name In Trailers

FACTORY USE ONLY	
Production No.	Unit to Unit
	001 050

Page 2 of 5

6-626-5	A	50 GAL FUEL TANK PREP (UTM STD) LAST(2) CMEM OVER LEGS & 1ST CMEM IN BAY AREA PUNCHED FOR TANK
7-107-52	A	DOT BMPR WELD-ON VERT & BOLT-ON NONSLIP HORIZ 21" MAX FROM GROUND WITHIN LESS THAN 4" O.A.W EA SIDE
*7-412-5	A	SST VERTICAL AND HORIZONTAL DOCK BUMPER
8-111-33	A	STEMCO-ENGLER HUBODOMETER MTD C/S REAR AXLE
8-112-23	A	DUST SHIELDS FOR 16-1/2" X 7" BRAKES
8-423-7	A	HUB PILOTED SYSTEM WITH LONGER STUDS FOR FUTURE INSTALLATION OF ALUMINUM WHEELS
*8-435-16	A	HENDRICKSON SURELOK ANTI-DOCK WALK DEVICE FOR USE WITH MANUAL DUMP VALVE
8-450-2	A	CALIBRATE HUBODOMETER IN KILOMETERS
8-487-14	A	P-SPINDLE TYPE
*8-501-14	A	HENDRICKSON AKLS1006 LOAD SCALE (INCLS MANUAL DUMP VALVE) IN FULLY ENCLOSED POLYCARBONATE BOX
*8-522-71	--	BASE SPEC:HEND ULTRAA-K AIRRIDE/ SLDR SYS,INCLS 49" AXL SPRD,HD SLDR & ZERO MAINT DAMPING (ZMD)
10-42-48	A	.040 ALUM CORR SIDE PANELS, USE W/1-1/2" SIDE WALL INSUL (INCLS 1"HD J POST 16"C/L REAR OF LEGS)
11-47-41	A	1" EXTRU ALUM "J" SHAPE ROOF BOWS ON 24" C/L
*12-49-36	A	.026 STAINLESS STEEL DIAMOND PATTERN REAR DOOR PANELS
12-50-XXX		EXTEND BARRIER DOOR HAT SECTION FULL WIDTH WHERE IT MEETS WITH LOWER C/S REAR DOOR VENT
12-51-30	A	(1) ADDL REAR DOOR LOCKROD ON CURBSIDE FOR A TOTAL OF (3)
*12-52-26	A	(5) REAR DOOR HINGES PER DOOR

* Indicates that UTM DQS notes exist for this option

October 3, 2014

C:\Users\Public\UTM\DQS\PO32.rpt

Customer
Ocean Trailer
Dealer #: 894 Ocean Trailer
UTM Quote #: CA57431

PURCHASE ORDER



The First Name In Trailers

FACTORY USE ONLY	
Production No.	Unit to Unit
	001 050

Page 3 of 5

*12-53-36	A	6" X 16" REAR VENT W/STAINLESS STEEL COVER ON LOWER C/S (INCLUDES VENT OPENING SCREEN)
*12-169-15	A	SHALLOW REAR WEDGE PORTION OF REAR SWING DOOR HEADER FROM 1-1/8" TO 1/2"
12-439-XXX		ANTI THEFT REAR DOOR HARDWARE
*12-561-5	A	CORROSION RESIST ELECTROPOLISHED SST REAR DOOR HARDWARE SWING DRS (INCL NON-POLISHED ALUM HINGES)
*14-57-216	B	1-3/8" NOM HD EXTRU ALUM EXTENDED WEAR DUCT FLOOR
*15-64-37	A	1-1/2" SIDEWALL INSULATION
15-65-29	A	2" ROOF INSULATION
15-66-25	A	2" FLOOR INSULATION
*16-74-125	A	6" EXTRA HEIGHT EXTRUDED ALUM STD DUTY WEARBAND TOTAL OF 16" INCL REINFORCING BEHIND WEARBAND
16-366-9	A	16" HIGH X 1/8" SMOOTH ALUM WEARBAND W/BEVELED EDGES ON REAR SWING DOORS INCL HARDWOOD REINF
17-77-199	A	2-5-6-5 CLEARANCE LIGHT PACKAGE (INCLS CLEARANCE LIGHT ON BIM RAIL ABOVE COMBO)
*17-133-24	A	ONE ADDL STOP/TAIL LIGHT EACH SIDE ON SST BUCK PLATE WITH EXTENDED LIGHT PROTECTOR BAR
17-200-51	A	GROTE 4"DIA SST SNAP-IN FLANGE MTD LED (3-DIODE) S/T/T LIGHTS (ENHANCES THEFT RESISTANCE)
*17-505-9	A	TRUCKLITE MODEL 35 LED UPPER SIDE RAIL CLEARANCE LIGHTS
17-506-36	A	CONVERT STD & OPT BOTTOM RAIL LIGHTS TO GROTE TURTLEBACK II LED
19-143-23	A	TRUCKLITE #97960 ROUND PERMIT HOLDER MOUNIED ON FRONT WALL LOWER R/S

* Indicates that UTM DQS notes exist for this option

October 3, 2014

C:\Users\Public\UTM\DQS\PO32.rpt

Customer
Ocean Trailer
Dealer #: 894 Ocean Trailer
UTM Quote #: CA57431

PURCHASE ORDER



The First Name In Trailers

FACTORY USE ONLY	
Production No	Unit to Unit
	001 050

Page 4 of 5

Special Instructions

Trailer Unit Pricing Without Tires and Wheels (Net Deal)

Total Unit

Tires & Wheels

Option #	Qty	Description
Tire 20-000-532	8	Michelin--X-Line Energy-I, PROFILE: 295/75R WHEEL DIA : 22 50, TIRE DIA : 39 7 TREAD: All Position, LOAD RANGE: G TYPE: Radial, PLY-RATING: 14
Wheel 20-000-490	8	Accuride Powder Coated White (Steel)--50487PKWHT21 DIA : 22 5, WIDTH: 8 3, HUB-Piloted, MATERIAL: Steel, HOLES: 10, HAND HOLES: 5

Trailer Unit Pricing With Tires and Wheel

Total Un

Total Uni

* Indicates that UTM DQS notes exist for this option

October 3, 2014

C:\Users\Public\UTMDQS\PO32.rpt

TRA53