
List Price





Process of the State of the Sta

Aftermarket

Customera

Sales

Field Service

Admin

Home > Previous Page

Sales Information Systems

Printable TPO without Prices Printable TPO with Prices

Production No.

2016-U-6053-010

STOCK

000-000-0000

Factory of Production

UTAH

Dealer:

Salesperson:

894 DELTA,BC **BILL GRACEY**

Shipping Instuctions

DEALER ARRANGED

Purchase Order: Quate No.

67565 CA-57431

SPECIFICATIONS

BASE MODEL: VS2RA

DWG:

OVERALL LENGTH:

GVWR: 65,000 53'

OVERALL WIDTH: OVERALL HEIGHT;

102 3/8"

FIFTH WHL HT:

13' 6" 46 1/2 107 1/8"

POST HT FRONT: POST HT REAR: 004-011-076

107 1/8 " 30"

KINGPIN LOC: **REAR SUSPENSION LOC:**

SLIDER

REFRIG, UNIT PREP:

TK SB SERIES

Option No.	Qty	Description	Unit Prîce
001-500-001		ENCH/ENGLISH SER PLT REQD FOR PORT TO CANADA	
005-197-085	W	ST MODEL A451 MAGNUM SUPP LEGS 110-YR WARRANTY AND 10"X10" LOW OFILE REMOVABLE CUSHION FOOT	
005-336-XXX		CTIC LUBE GREASE FOR SUPPORT GS (INCL W/ MAGNUM LEGS)	
006-018-026) NOT NOTCH OUT BOTTOM RAIL REAR	
007-107-052	NO	OT BMPR WELD-ON VERT & BOLT-ON ONSLIP HORIZ 21"MAX FROM GROUND THIN LESS THAN 4"O.A.W,EA SIDE	
007-412-005		T VERTICAL AND HORIZONTAL DOCK IMPER	:
008-111-033		EMCO-ENGLER HUBODOMETER MTD 5 REAR AXLE	÷
008-112-023		JST SHIELDS FOR 16-1/2" X 7" AKES	
008-350-163		NDIX TABS-6 2S/1M ABS I/O ROLL STABILITY*	
008-423-007	STI	JB PILOTED SYSTEM WITH LONGER UDS FOR FUTURE INSTALLATION OF UMINUM WHEELS	
008-435-016	WA	NDRICKSON SURELOK ANTI-DOCK ALK DEVICE FOR USE WITH MANUAL JMP VALVE	
008-450-002		LIBRATE HUBODOMETER IN OMETERS	

P-SPINDLE TYPE

008-487-014

		Ounty Framer Wandracturing Co.
008-501-014		HENDRICKSON AKLS1006 LOAD SCALE (INCLS MANUAL DUMP VALVE) IN FULLY ENCLOSED POLYCARBONATE BOX
008-522-071		BASE SPEC:HEND ULTRAA-K AIRRIDE/ SLDR SYS,INCLS 49" AXL SPRD,HD SLDR & ZERO MAINT DAMPING (ZMD)
010-042-048		.040 ALUM CORR SIDE PANELS, USE W/1-1/2" SIDE WALL INSUL (INCLS 1"HD J POST 16"C/L REAR OF LEGS)
011-047-041		1" EXTRU ALUM "J" SHAPE ROOF BOWS ON 24" C/L
012-049-036		.026 STAINLESS STEEL DIAMOND PATTERN REAR DOOR PANELS
012-050-XXX		EXTEND BARRIER DOOR HAT SECTION FULL WIDTH WHERE IT MEETS WITH LOWER C/S REAR DOOR VENT
012-051-030		(1) ADDL REAR DOOR LOCKROD ON CURBSIDE FOR A TOTAL OF (3)
012-052-026		(5) REAR DOOR HINGES PER DOOR
012-052-027	1.50	REAR DOOR ANTI-THEFT TAMPER PROOF HARDWARE FOR THEFT PREVENTION
012-053-036		6" X 16" REAR VENT W/STAINLESS STEEL COVER ON LOWER C/S (INCLUDES VENT OPENING SCREEN)
012-169-015		SHALLOW REAR WEDGE PORTION OF REAR SWING DOOR HEADER FROM 1-1/8" TO 1/2"
012-561-005	1.50	CORROSION RESIST ELECTROPOLISHED SST REAR DOOR HARDWARE SWING DRS (INCL NON-POLISHED ALUM HINGES)
014-057-216		1-3/8" NOM HD EXTRU ALUM EXTENDED WEAR DUCT FLOOR
015-064-037		1-1/2" SIDEWALL INSULATION
015-065-029		2° ROOF INSULATION
015-066-025		2" FLOOR INSULATION
016-074-125	:	6" EXTRA HEIGHT EXTRUDED ALUM STD DUTY WEARBAND TOTAL OF 16" INCL REINFORCING BEHIND WEARBAND
016-366-009		16" HIGH X 1/8" SMOOTH ALUM WEARBAND W/BEVELED EDGES ON REAR SWING DOORS INCL HARDWOOD REINF
017-077-199		2-5-6-5 CLEARANCE LIGHT PACKAGE (INCLS CLEARANCE LIGHT ON BTM RAIL ABOVE COMBO)
017-133-024		ONE ADDL STOP/TAIL LIGHT EACH SIDE ON SST BUCK PLATE WITH EXTENDED LIGHT PROTECTOR BAR
017-200-051	1.50	GROTE 4"DIA SST SNAP-IN FLANGE MTD LED (3-DIODE) S/T/T LIGHTS (ENHANCES THEFT RESISTANCE)
017-505-009		TRUCKLITE MODEL 35 LED UPPER SIDE RAIL CLEARANCE LIGHTS
017-506-036		CONVERT STD & OPT BOTTOM RAIL LIGHTS TO GROTE TURTLEBACK II LED
019-143-023		TRUCKLITE #97960 ROUND PERMIT HOLDER MOUNTED ON FRONT WALL LOWER R/S
020-640-202	8,00	22.5X8.25 F.C. STL 10 HUB PILOT
020-646-532	8.00	275/80R 22,5 MICH X-LINE ENERGY-T 14PLY 39,70° TIRE DIA. LOAD RANGE 'G'

PLEASE CAREFULLY REVIEW THIS INFORMATION AND IMMEDIATELY COMMUNICATE ANY DISCREPANCIES.

Acknowledged by: VICTOR HERNANDEZ DIRECT

2/13/15 2/13/15

Prod Fcty: U Line: 1

PROPOSED VIN NUMBERS:

 1UY VS2539 GU6053 01
 1UY VS2530 GU6053 02

 1UY VS2532 GU6053 03
 1UY VS2534 GU6053 04

 1UY VS2536 GU6053 05
 1UY VS2538 GU6053 06

 1UY VS253X GU6053 07
 1UY VS2531 GU6053 08

 1UY VS2533 GU6053 09
 1UY VS253X GU6053 10

This Trailer Production Order is executed pursuant to that Utility Trailer Manufacturing Company Dealer/Distributor Sales and Service Agreement entered into between Utility Trailer Manufacturing Company and Dealer. The Parties agree to conduct this transaction by electronic means and this electronically submitted Trailer Production Order shall be binding on the parties and their respective successors and assigns. In the event that Dealer intends to execute subsequent transactions using a method other than electronic submission, Dealer shall contact Utility Trailer Manufacturing Company.

If you believe that your vehicle has a defect which could cause injury or death, you should immediately inform the National Highway Traffic Safety Administration (NHTSA) in addition to notifying UTILITY TRAILER MANUFACTURING COMPANY.

If NHTSA receives similar complaints, it may open an investigation, and if it finds that a safety defect exists in a group of vehicles, it may order a recall and remedy campaign. However, NHTSA cannot become involved in individual problems between you, your dealer or UTILITY TRAILER MANUFACTURING COMPANY.

To contact NHISA, you may either call the Auto Safety Hotline toll-free at 1-800-424-9393 (or 366-8123 in Washington, B.C. area) or write to: NHISA, U.S. Department of Transportation, Washington, D.C. 20590. You can also obtain other information about motor vehicle safety from the Hotline.

© 2015 Utility Trailer Manufacturing Company, All Rights Reserved,