



Quote 26-Sep-22
 New Order 29-Sep-22
FINAL

Ref# 6944

53-3TWWF OT

Revision

CUSTOMER APPLICATION Woodchips

W/O# 7019

DATE: 24-Oct-22

SINGLE SEMI-TRAILER

Designation

ORDER STATUS Final to approve

CUSTOMER NAME	OT Stock	P.O.#	92642-92651
ADDRESS	9076 River Road	DRAWING#	AD-7019-01-V1
CITY	Delta	CONTACT	Will Tucker
PROV/PC STATE/ZIP	B.C. V4G 1B5	DEALER	Ocean Trailer
PHONE	604-940-0210	SHIP VIA	FOB Delhi, ON
FAX	604-940-0610 Toll Free-1-800-891-8858	SALESMAN	
DEPOSIT REQUIRED	Attention Lorraine Genberg		

Qty = 10

Note 7 & 8

(MAY CHANGE, MUST BE CONFIRMED AT TIME OF ORDER)

SERIAL NUMBER'S	Pg 3		PRICING
BASE MODEL	53-3TWWF OT	STYLE	Wedge
Wall CONFIGURATION	Front	to suit wood chip application	
	Sides	to suit wood chip application (Note 5)	
	Rear Door	Van, Solid, Std Galvanized lock rods	
OVERALL LENGTH	53 ft	OVERALL WIDTH	102" Nominal
OVERALL HEIGHT	13' 6" approx.		
KING PIN LOCATION	36" BOLT IN		
UPPER COUPLER	5/16" THK Steel- Set @ 48" High		
	PRIMARY	LIFT or STEERS	
NUMBER OF AXLES	3		
AXLES	5" Round .580 Wall-Tapered Spindle		
AXLE TRACK	77"		
SUSPENSION	Watson TA 30,000		
LOCATION OF SPREADS	see axle layout		
HUB / DRUM ASSEMBLY	10 Stud, Cast Hub / Cast Drum w/long studs		
DISC WHEEL SIZE	8.25 x 22.5		
RIMS	ALUM-LVL1 Mill Inner/Outer		
TIRES	Brand	Goodyear	
	Size	11R22.5 - 41.9 dia	
	Tread	Endurance RSA	
	Ply	14	
	Quantity	12	
AXLE LAYOUT	FRONT-Prim-60-Prim-60-Prim-73-REAR		Sub(1)

CUSTOMER NAME: **OT Stock**

PO 92642-92651

S/N

Pg 3

W/O #

7019

			Note#	PRICING
OIL SEALS		To suit axles		
LUBRICANTS		Oil-Std 80W-90		
BRAKES	ABS	2S2M Meritor Wabco		
	Slack Adj.	Haldex Auto		
	Cam Enclos	All Axles - c/w Dust Shields		
LIFT KITS		None		
LIFT CONTROLS		None		
FRAME WIDTH		48"		
REAR BUMPER		<i>Steel, Flush, Underride</i>	6	
ADDITIONAL BUMPER OPTION #1		None		
ADDITIONAL BUMPER OPTION #2		None		
ADDITIONAL BUMPER OPTION #3		None		
TIRE CARRIER		None		
LANDING GEAR		Holland Mark 5-LGS-2A-113		
TOP RAIL		Titan Tapered, V1		
TOP CROSS TUBE		2 Pcs - 4" OD		
FLOOR CROSSMEMBERS		16" Centers		
KEITH WALKING FLOOR KIT		<i>Running Floor II- 3 1/2" Dia Cylinders-10" stroke</i>		
SLAT MODEL & WIDTH		2190 (1975) 3 1/2" - 1212 Seals T-Blocks Rear		
SLAT WEAR STRIPS		None		
CONTINUOUS BEARING		Continuous Splash/Hold Down Bearings		
SIDE WALL WEAR PLATES		None		
FRONT ACCESS DOOR		None		
TARP STYLE (Tarp form)		<i>Trison installed Black Vinyl Sideroll - rolls open to curbside - West Coast Bungee style</i>	4	
TARP HEADER		Flat-Front & Rear		
TARP BASKET		None		
TARP HOOKS		None		
AXLE FENDER		<i>Titan 1/4" Rolled Aluminum</i>	1	
HYD FITTING	Pressure	1" Quick Coupler-Male		
	Return	1" Quick Coupler-Female		
MUD FLAPS	Style	Titan Black Rubber		
	Location	Mount Mudflaps at rear fender using an angle bracket		
MUD FLAPS - Landing Gear		Yes- 4 Pcs		
PAINT (See Form)	Body- Color	Natural Aluminum		
	Run - Gear	Titan Black		
	Hub / Drum	Same as Running Gear		
	Rims or Disc	Aluminum		
LIGHT PACKAGE (Plug Form)		3 markers per side (includes corner mitre & midturn). At Rear:3 per side 4" dia in lightbar, & 5 rect. at top		
ADDITIONAL LIGHTS' OPTION #1		None		
ADDITIONAL LIGHTS' OPTION #2		None		
ACCESS	Catwalk	<i>STD 24" catwalk</i>	3	
	J-Ladder - Front	Roadside To Catwalk		
	J-Ladder - Rear	Roadside centered between cam locks		
	Steps-Front-Out	None		
	Steps-Front-Ins	None		
	Steps-Rear	Stirrup step roadside, rear, under lightbar, 2" in towards center from end of light bar.		
			Sub(2)	

53-3TWWF OT

Ref#

6944

Pg.3

CUSTOMER NAME: **OT Stock**

PO 92642-92651 S/N

Pg 3

W/O# **7019**

ADDITIONAL SPECIFICATIONS

PRICING

1) Add fender support in floor for future *Watson TA250T* suspension located 24" in from rear of trailer. No crossmembers for the 4th axle installed.

2) Aluminum tube document holder.

3) Ship catwalk inside trailer properly secured (for shipping purposes only), use Drilled holes in frontwall for future catwalk installation.

4 a) Trison to install (1) Chain & binder front & rear with (5) cables & West Coast Bungees evenly spaced between. Titan to install tarp hooks, as well as UHMW pads at the joint of each cable and bungee before going to Trison. Trison to add Rubber Wind deflector to front.

b) Titan to provide storage for crank handle.

c) Add 2 to 1 Pull rope to tarp

5) Add recessed 4" air gauge installed on driverside sidewall. Position air gauge 12" forward of trailer mid length and as high as possible keeping clear of tarping system.

6) Prep trailers for future addition of stainless clad rubber bumper blocks

VIN Numbers: Units 1 - 5

VIN Numbers: Unit 6 - 10

2TVWF533XRD000224 - PO 92642

2TVWF5339RD000229 - PO 92647

2TVWF5331RD000225 - PO 92643

2TVWF5335RD000230 - PO 92648

2TVWF5333RD000226 - PO 92644

2TVWF5337RD000231 - PO 92649

2TVWF5335RD000227 - PO 92645

2TVWF5339RD000232 - PO 92650

2TVWF5337RD000228 - PO 92646

2TVWF5330RD000233 - PO 92651

DATE: **24-Oct-22**

SUBMITTED BY

Customer

Sk 10/3/2022

Date

Sub Total (3)

Sub Total (2)

Sub Total (1)

TOTAL PRICE PER UNIT

TOTAL COST

NET COST **CDN\$**

Since these are stock, pricing may change if revised

Trailers are sold FOB Delhi, Canada

Any applicable Federal or Provincial Taxes are not included.

All Applicable Taxes & Licencing Fees Extra

TITAN TRAILERS

PAIN T COLOUR & CODE FORM

CUSTOMER	OT Stock	TITAN WORK ORDER #	7019
DEALER	Ocean Trailer	DEALER WORK ORDER #	
		PURCHASE ORDER #	92642-92651
		UNITS IF APPLICABLE	10
TRAILER TYPE	53-3TWWF OT		

	PAINT COLOUR	PRODUCT NAME	PAINT CODE
Body	Natural Aluminum	None	None
Frame	Natural	None	None
Running Gear	Titan Black	Titan	None

If paint colours are Titan Red, Black or Silver please enter Titan under product name & no code is required.

IF Fully Painted, Thinwall trailers will be painted underneath same as frame & running gear

All Thinwall Trailers that have Body left Natural will receive silver air tanks & silver upper couplers

*Dealer or Customer must supply Titan Trailers with required paint codes, product name, colour and a

DRY sample of paint. All Two Toned Painted Trailers* must have additional detailed written specifications entered above.

Paint Chip Required

No

Complete Form in Full

Dealer Signature

Date

Paint Information needed by this date

Failure to meet this date will delay trailer completion

TITAN TRAILERS WILL NOT BE RESPONSIBLE FOR INCORRECT PAINT SPECIFICATIONS

Office Use Only

Trailer Sales Department

Date

Signature

TITAN TRAILERS - TRAILER WIRING SCHEMATICS

1129 Hwy #3, R.R. #3
 Delhi, Ontario
 Canada, N4B 2W6

Wiring Specs


Phone: 519-688-4826
 Fax: 519-688-3083
www.titantrailers.com

53-3TWWF OT

Work Order	7019
P.O. #	92642-92651
Quantity	10

Customer	OT Stock
Dealer	Ocean Trailer
Dealer #	

Main
STD 7-WAY PLUG



#	COLOUR	FUNCTION
1	WHITE	GROUND
2	BLACK	MARKER & TAILLIGHTS
3	YELLOW	LEFT TURN
4	RED	STOP
5	GREEN	RIGHT TURN
6	BROWN	MARKER & TAILLIGHTS
7	BLUE	ABS

None

#	COLOUR	FUNCTION
1	WHITE	
2	BLACK	
3	YELLOW	
4	RED	
5	GREEN	
6	BROWN	
7	BLUE	

	STANDARD 7-WAY PLUG
	I.S.O. 7-WAY PLUG

Plug Information needed no later that the following date:

Failure to meet this date will delay trailer completion.


Dealer

Signature:

Date:

CONFIGURATION APPROVAL DRAWING

THIS DRAWING CONFIRMS BASIC TRAILER DIMENSIONS; OVERALL HEIGHT, OVERALL LENGTH, PIN SETTING AND AXLE POSITIONS ONLY.
 TRAILER OPTIONS MUST BE VERIFIED BY REFERRING TO THE SALES ORDER. ANY DISCREPANCIES MUST BE REPORTED TO TITAN TRAILERS INC.



WATSON CHALIN
 TAS00120-14 TRIDEM

NO NO	7019
DEALER NO	

SUSPENSIONS: WATSON CHALIN TAS00T SERIES
 TIRES: 11R22.5
 LANDING GEAR: HOLLAND MARKV LGS-2A-113
 VOLUME: 3968 CU FT (147 CU YD)

APPROVED BY: _____
 SIGNATURE: _____
 DATE: _____

TITAN TRAILERS INC.
 RR#3 DELHI, ONT
 N4B 2M6

CUSTOMER: OT Stock
 TRAILER: 53' 3-AXLE AWF WEDGED
 WOODCHIP APPLICATION

DEALER IS RESPONSIBLE TO CHECK THAT TRAILER CONFIGURATION SHOWN ON THIS DRAWING CONFORMS TO ALL PROVINCIAL, STATE AND/OR FEDERAL REGULATIONS. THIS DRAWING IS THE SOLE PROPERTY OF TITAN TRAILERS. ANY REPRODUCTION IN WHOLE OR PART IS STRICTLY PROHIBITED WITHOUT OUR WRITTEN CONSENT.

DRAWN BY	SCALE	DATE	CHKD	REVISION
SCG	50	5-Oct-2022	AD-7019-01-VI	01

Titan Trailer Inc.

Trison Side Roll Tarp Form (West Coast Bungie)

Work Order #

7019

Customer Name:

OT Stock

Trailer Length

53 ft

Dealer

Ocean Trailer

Tarp colour

Black

Width

102" Nominal

Vinyl

Mesh

Cables & Bungie Location

Roadside

or

Curbside

Tarp Stops Style-Standard

Yes

Qty

Easy off Flexible 6" Offset tarp stop

8

Optional

Easy off Flexible 3" Offset tarp stop

Tarp Headers

Flat Front

Flat Rear

4" Rise Front

4" Rise Rear

9" Rise Front

9" Rise Rear

* Add special 2 to 1 pull rope to tarp

Yes

No

Qty

Ratchets & Cables 5pcs Std.

5

If no see note below

Trison to install (1) Chain & binder front & rear with (5) cables & West Coast Bungees evenly spaced between. Titan to install tarp hooks, as well as UHMW pads at the joint of each cable and bungee before going to Trison. **Trison to add Rubber Wind deflector to front. Titan to provide storage for crank handle.**

Yes

No

Qty

Drain holes Required

12

Note: Location of drain holes will be determined by the trailer design. Std size is 2" x 2" mesh

Tarp Crank location

Front

Ground

Catwalk

Rear

at

from

or

from

Tarp Crank length will be determined by location

ADDITIONAL NOTES.

Trison to Add Rubber wind Deflector to Front

Please complete sign, date and fax back to 519-688-3083

Customer Signature

Date