



OCEAN TRAILER
 9076 RIVER RD
 DELTA BC, AB V4G 1B5
 Phone: (604) 952-2373
 Website: WWW.OCEANTRAILER.COM

This offer is valid until the printed expiration date, and is subject to change at Manufacturer discretion based on market conditions.

FLATBED			Quote ID # 71337 JOB # 75658 Rev 12	
Customer	OCEAN TRAILER			
Dealer Name	OCEAN TRAILER	Cubic Yards	0	
Quote Date	5/13/22	Quote Expires	6/13/22	Qty 3
		Weight	12211 lbs. ***	
Dealer Salesman	TYLER VRBAS	Model Code	FB	Plant of Mfg H
Cust P.O. #	92707	Cust Unit #		
Model #	TRAR53AA0-2024	VIN #	5MAPA5332RH075658	
JOB GROUP: 75658,75659,75660				

BODY	
FRAME RAIL MODEL	HEAVY DUTY 26 IN. (60K)
FRAME RAIL ARCH MODEL	3 1/2 IN.
LOAD PROFILE	MATERIAL, 90K GVWR
LENGTH	53
WIDTH	102
NECK STYLE	SQUARE FRONT, 10 IN. NECK, 102 WIDE
CROSSMEMBER SPACING	18 IN. ON CENTER
SPOOLS AND POCKETS	DOUBLE SPOOLS W/ POCKETS
POCKETS ROUTED OUT ON 24" O.C. SPACED FROM REAR FORWARD.	
NAILERS	4 NAILER POSITION
SIDE RAIL WINCH TRACK	WESTERN STYLE RAIL
REAR END STYLE	REAR OPEN (NO CENTER FILLER PLATE)
REAR STEPS	GRIP STRUT STEP
EXTREME DUTY BUMPER REINFORCEMENTS	NO
BOLT-ON BUMPER	NO
DOCK BUMPERS	(2) 16 IN. OUTSIDE

LIGHTS	
LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE - 3 LARGE - 3 LARGE 000 000 000
STROBE LIGHTS	YES, YELLOW
STROBE LIGHT LOCATION	INSIDE OF THE OUTSIDE CLUSTERS
STROBE LIGHT CONTROLS	TOGGLE IN CONTROL BOX
3/4 IN. PENNY LIGHT MARKER LIGHTS	9 EACH SIDE
(4) 2-FRONT & 2-REAR WIDE LOAD TELESCOPING LIGHTS, WITH SWITCH IN CONTROL BOX..	
MARKER LIGHT LOCATION	STD.
MID-TURNS	(1) PAIR OPEN

PRIMARY AXLES	
MODEL	TRI-AXLE
NO. OF PRIMARY AXLES	3
SUSPENSION	HEND. INTRAAX AANT-23K TP (230 BAGS) W/ HXL-5
NO. OF LIFT KITS	0
AXLE SPACING	61
AXLE SETTING	NOTE ALL AXLE SETTINGS
CANADIAN TAC LEGAL., 41 FT. K.P. TO CENTER AXLE OF TRIDEM.	
AXLES	AXLE FOR INTRAAX ONLY

BRAKES	7 IN. XL, W/ 30-30 CHAMBERS
CAM GUARDS	HEND. INTRAAX
HUB AND DRUM	CAST W/ DURALITE HUB HP OB 10 STUD TP, LS, 7 IN.
BRAKE STROKE INDICATORS	NO
TIRES	YOKOHAMA RY023 11R 22.5 16PLY
WHEELS	ALUMINUM HP 22.5X8.25 - ALL POLISHED (XP)
INSTALL INSULATOR DISCS BETWEEN HUB & WHEEL AND BETWEEN WHEELS, 12 INSULATOR RINGS.	
PRIMARY AXLE TIRE INFLATION SYSTEM	HENDRICKSON SYSTEM (TIREMAX PRO)

LIFT AXLES

NO. OF LIFT AXLES	0
LIFT AXLE DUAL AIR SYSTEM FOR MICHIGAN / CANADA	NO

STEERABLE LIFT AXLES

NO. OF STEERABLE AXLES	0
STEERABLE LIFT AXLE DUAL AIR SYSTEM	NO
STEERABLE AXLE AIR DRAIN COCK WITH CABLE PULL TO D.S.	NO

CHASSIS

FRAME RAILS	MOVED TO BODY
FRAME RAIL ARCH	MOVED TO BODY
PIN SETTING	24
5TH WHEEL PLATE TYPE	GALVANIZED
5TH WHEEL PLATE	5/16 IN. GR-50, 3/8 KP
5TH WHEEL PLATE HEIGHT	48 IN. HIGH
SUSPENSION CONTROL	BALL VALVE (FULL SUSPENSION DUMP)
GLADHAND / ELECTRIC CONNECTION LOCATION	FRONT ONLY
ABS FOR TRAILER	(1) 4S2M MERITOR / WABCO
SLACKS	AUTOMATIC
AXLE LUBRICATION	HXL, SYNTHETIC SEMI-FLUID GREASE
DUST COVERS	YES
DOLLIES - LANDING GEAR - LANDING LEGS	JOST AX-150 - (55,000 lb.) - 10 YEAR ALUMINUM - D.S.
USE ARCTIC GREASE.	

REGISTRATION HOLDER	TIGHT SEAL TS0158 DOCUMENT HOLDER (ALUMINUM TUBE)
REGISTRATION HOLDER LOCATION	DRIVERS SIDE NEAR LANDING GEAR
AIR GAUGE / SYSTEM	YES, IN ENCLOSURE - MUST SELECT ENCLOSURE
ENCLOSURE FOR SWITCHES	ALUMINUM MILL FINISH W/ STAINLESS HINGE
AIR TANKS	ALUMINUM TANK
AIR TANK DRAIN COCK WITH CABLE PULL TO D.S.	NO
ADDITIONAL FLAPS	REAR OF REAR AXLE (1 SET)

TARP

PAINT

HANGERS	GALVANIZED
SUSPENSION COLOR	BLACK SOFT COAT
PIN STRIPING	BLACK (931716)
LANDING GEAR COLOR	BLACK (930248)
MAC MACHINE FINISH LOGOS	BLACK (931716)

ACCESSORIES

NO. OF TOOLBOXES	2
TOOL BOX SIZE	24X24X60 DOUBLE DOOR
TOOL BOX DOOR TYPE	ALUMINUM
TOOL BOX HARDWARE	CAM LOCKS
TOOL BOX LOCATION	BEHIND LANDING GEAR BOTH SIDES
MOUNT LOW ENOUGH TO ALLOW WINCHES TO SLIDE OVER BOX.	
NO. OF 8 FT. DUNNAGE HOLDERS	1

8 FT. DUNNAGE HOLDER TYPE	WITH FLOOR
8 FT. DUNNAGE HOLDER LOCATION	CURB SIDE ONLY
	LOCATED FORWARD OF LEAD AXLE OF TRIDEM.
NO. OF BOLT ON CARGO HOOKS	26
	INSTALL (26) BOLT-ON CARGO HOOKS OPPOSITE EACH WINCH,
NO. OF CHAIN TIE DOWNS (PER PAIR) (CUSTOMER MUST SPECIFY LOCATION)	13
NO. OF GALVANIZED 3 BAR SIDE MOUNT WINCHES	26
	(26) BOLT-ON ANGLED 3-BAR WINCHES, SIDE MOUNT WINCHES, MOUNT 13 PER SIDE STAGGERED SPACED EVENLY. 13 PER SIDE. - GALVANIZED IF AVAILABLE, IF NOT PAINTED BLACK.

Thank you for your business

ORDER CANCELLATION POLICY

Orders configured with common published and non-published options will not be subject to a cancellation penalty when the Manufacturer receives the request for cancellation 12 or more weeks prior to the scheduled production date. All cancellation requests received within 12 weeks but no less than 8 weeks of the scheduled production start date must be approved by the Product Manager for the specified product line and will be subject to a \$2500.00 cancellation fee. Cancellation requests within 8 weeks of the scheduled production start date will not be accepted.

*** denotes a weight for reference only. Trailer weight will be provided with the engineering design approval packet.