



Quote Reorder
 New Order 30-Dec-22
 FINAL

45-3TWHP OT (2 Hopper) Ref# 6925

Revision

CUSTOMER APPLICATION

W/O# 7062
 DATE: 18-Jan-23

SINGLE TRAILER

Designation

ORDER STATUS Final to approve

CUSTOMER NAME	OT Stock	PO	94344-47	File	
ADDRESS		DRAWING#			
CITY		CONTACT			
PROV/PC STATE/ZIP		DEALER		Ocean Trailer	
PHONE		SHIP VIA		FOB Delhi, ON	
FAX		SALESMAN		Mack Keay	

Is Vehicle Permitted?		Yes or No	
What is the combined Gross Vehicle Weight?			

Qty = 4 ESTIMATED COMPLETION DATE
(MAY CHANGE, MUST BE CONFIRMED AT TIME OF ORDER)

SERIAL NUMBER/S	See pg 3		PRICING
BASE MODEL	45-3TWHP OT (2 Hopper)	STYLE	Straight
PANEL CONFIGURATION	UBP, 4-14" ELD Panels, 12" V1 Top Panel w/ integrated latchplate roadside		
OVERALL LENGTH	45 ft	OVERALL WIDTH	102" Nominal
OVERALL HEIGHT	143-1/2" approx to top of Tarp Header	SIDE HEIGHT	82-3/8
KING PIN LOCATION	15" bolt-in		
UPPER COUPLER	Aluminum coupler assembly w/3" drop w/Steel wear plate set @ 48" High		
	PRIMARY	STEERS or LIFT	
NUMBER OF AXLES	3		
AXLES	Intraax Tapered Spindle		Note 10
AXLE TRACK	77"		
SUSPENSION	Intraax AAT 23K (Wide Hanger)		
LOCATION OF SPREADS	See axle layout		
HUB / DRUM ASSEMBLY	10 Bolt Duralite Hub w/Centrifuse brake Drums		
DISC WHEEL SIZE	8.25 x 22.5		
RIMS	ALUM-LVL Inner/Outer		
TIRES	Brand	Goodyear	
	Size	11R22.5 - 41.5 Dia	
	Tread	Marathon RSS	
	Ply	16	
	Quantity	12	
OVERALL HEIGHT (From Ground)	143-1/2" approx to top of Tarp Header		
AXLE LAYOUT	Front-Prim-60-Prim-60-Prim-24-Rear		Sub(1)

CUSTOMER NAME:

OT Stock

TITAN SALES #

PO 94344-47 S/N

See pg 3

W/O #

7062

			Note#	PRICING
OIL SEALS		Federal Mogul		
LUBRICANTS		Std 80w-90 oil		
BRAKES	ABS	2S2M		
	Slack Adj.	Haldex Auto		
	Cam Enclos	All Axles & c/w dust shields		
LIFT KITS		None		
LIFT CONTROLS		None		
FRAME WIDTH		47-1/4"		
REAR BUMPER		None		
TIRE CARRIER		None		
LANDING GEAR		Jost AX151.G8.17 Aluminum Landing Gear-5 yr maintenance free		
INTERIOR SLOPE	Angle	30 degrees		
	Material	All TW Panel		
WALL DIVIDERS FOR HOPPER		Yes-1 positions-dividers TW Panel/Vented		
HOPPER MATERIAL		3/16"		
HOPPER DOOR SIZE		All are 22" X 22" with High Ground Clearance of 25" off the ground		
HOPPER DOOR OPERATOR		Dual Crank Direct drive (curbside/roadside)		
TARP HEADER		Front & Rear 9" rise		
TARP BASKET		None		
TARP		Manual side roll tarp Michels hardware. (Trison installed)		
FENDERS		None		
MUD FLAPS	Style	Titan Black Rubber		
	Location	4 at landing gear, 2 in front of primaries, 4 at rear		
PAINT (See Form)	Suspension	Titan Black		
	Hub / Drum	Same as suspension		
	Rims or Disc	Aluminum		
LIGHTS		front-2 clearance mks high-sides-3 mks (includes midturn)-rear 9- 4" round in light bar w/5 ID at top	1,2,3,6,8	
LIGHTS' OPTION #1		Add 7 Std marker lights per side for a total of 5 Top & 5 Bottom		
LIGHTS' OPTION #2		Add High Mount brake /Turn light-which take the place of outer two		
ACCESS	Catwalk	Narrow Front approx 30" & Rear approx 30" down from top of sidewall		
	J-Ladder-Front	Front wall-Roadside		
	J-Ladder-Rear	Rear wall-Roadside		
	Steps-Hopper Slope	Front to Rear-centerline of trailer		
	Steps-Front-Ins	Offset steps to roadside & on inside of roadside wall at front		
	Steps-Rear-Ins	Offset steps to roadside & on inside of roadside wall at front		
			Sub(2)	

45-3TWHP OT (2 Hopper)

Ref#

6925

Pg.3

CUSTOMER NAME:
TITAN SALES #

OT Stock
PO 94344-47 S/N

See pg 3

W/O# 7062

ADDITIONAL SPECIFICATIONS

Note#

PRICING

- 1) Add LED Back-up lights inboard of outside tail light cluster, one per side.
Middle 3 will be 4" round marker lights
- 2) Install Interior L.E.D. Lights, One per hopper compartment
Wire To Switch On Front Wall. Part number 44350C
- 3) Two exterior spot lights one at each hopper door.
Run all the above lights from toggle switch in B-Train style Control Box.
- 4) Top crossmembers Arched -see approval drawing for locations
- 5 a) Add D-Ring Style Tow Hooks welded to D-Ring Tow hook extension bracket, bolted to bottom of subframe.
b) Add hanger plate w/D-ring access holes on two center mudflaps at rear.
- 6) Rear Posts: Add 4 marker lights down rear face of each post
- 7) Add knock rail angle centered on side of each hopper. Curbside and Roadside
- 8) Add LED light in control box
- 9) Run air line to a 3/8" female quick connect coupler in control box from pressure protected air tank
- 10) Add TireMaax Pro tire inflation system.

OTR #

VIN #

94344	2TVHP4533RD000501
94345	2TVHP4535RD000502
94346	2TVHP4537RD000503
94347	2TVHP4539RD000504

Any or all Taxes are not included

DATE: 18-Jan-23

SUBMITTED BY

Customer

Sk 1/6/2023

Date

Sub Total (3)	
Sub Total (2)	
Sub Total (1)	
TOTAL PRICE PER UNIT	
TOTAL COST	
NET COST	CAD

TITAN TRAILERS

PAINT COLOUR & CODE FORM

CUSTOMER	OT Stock	TITAN WORK ORDER #	7062
DEALER	Ocean Trailer	DEALER WORK ORDER #	
		PURCHASE ORDER #	94344-47
TRAILER TYPE	45-3TWHP OT (2 Hopper)		
		UNITS IF APPLICABLE	4

	PAINT COLOUR		PRODUCT NAME		PAINT CODE
Body	Natural		N/A		
Running Gear	Black		Titan		

If paint colours are Titan Red, Black or Silver please enter Titan under product name & no code is required.

NOTE: ALUMINUM LANDING GEAR

***IF Fully Painted, Thinwall trailers will be painted underneath same as frame & running gear*
& axles will not be painted prior to going to paint.**

All Thinwall Trailers that have Body left Natural will receive silver air tanks & silver upper couplers
 Dealer or Customer must supply Titan Trailers with required paint codes, product name, colour and a DRY sample of paint. All Two Toned Painted Trailers must have additional detailed written specifications entered above.

Paint Chip Required

Complete Form in Full

<u>Dealer Signature</u>	
<u>Date</u>	

Paint Information needed by this date
 Failure to meet this date will delay trailer completion

TITAN TRAILERS WILL NOT BE RESPONSIBLE FOR INCORRECT PAINT SPECIFICATIONS

<u>Office Use Only</u>	
<u>Trailer Sales Department</u>	<u>Date</u>
<u>Signature</u>	

TITAN TRAILERS - TRAILER WIRING SCHEMATICS

Wiring Specs

1129 Hwy #3, R.R. #3
Delhi, Ontario
Canada, N4B 2W6


Phone: 519-688-4826
Fax: 519-688-3083
www.titantrailers.com

45-3TWHP OT (2 Hopper)

Work Order	7062
P.O. #	94344-47
Quantity	4

Customer	OT Stock
Dealer	Ocean Trailer
Dealer #	

AUXILIARY 7-WAY PLUG
STD 7-WAY PLUG



#	COLOUR	FUNCTION
1	WHITE	Ground
2	BLACK	Front/Rear CLS, I.D., Licence
3	YELLOW	Left Turn, Hazzard
4	RED	Stop Lamps
5	GREEN	Right Turn, Hazzard
6	BROWN	Side Markers, Tail Lights
7	BLUE	ABS/Interior/Exterior Hopper lights

AUXILIARY 7-WAY PLUG



#	COLOUR	FUNCTION
1	WHITE	
2	BLACK	
3	YELLOW	
4	RED	
5	GREEN	
6	BROWN	
7	BLUE	

STANDARD 7-WAY PLUG
I.S.O. 7-WAY PLUG

Plug Information needed no later that the following date:


Failure to meet this date will delay trailer completion.

Dealer Signature: **Date:**

Date form returned: **Trailer Sales Initials:**

CONFIGURATION APPROVAL DRAWING

THIS DRAWING CONFIRMS BASIC TRAILER DIMENSIONS; OVERALL HEIGHT, OVERALL LENGTH, PIN SETTING AND AXLE POSITIONS ONLY.
TRAILER OPTIONS MUST BE VERIFIED BY REFERRING TO THE SALES ORDER. ANY DISCREPANCIES MUST BE REPORTED TO TITAN TRAILERS INC.



INTRAAAX AAT23K-14 TRIDEM

SUSPENSIONS: HENDRICKSON INTRAXX AAT-23K
TIRES: 11R22.5
LANDING GEAR: JOST AX151.G8.17 ALUMINUM
VOLUME: 1881 cu ft (69.7 cu yd)

APPROVED BY: [Signature] DATE: _____

NO. NO. 7062
DEALER NO. _____



CUSTOMER: OT STOCK
TRAILER: 45' 3-AXLE (SPF1) HOPPER
FULL AIRRIDE
AGRI APPLICATION

DEALER IS RESPONSIBLE TO CHECK THAT TRAILER CONFIGURATION SHOWN ON THIS DRAWING CONFORMS TO ALL PROVINCIAL, STATE AND/OR FEDERAL REGULATIONS. THIS DRAWING IS THE SOLE PROPERTY OF TITAN TRAILERS. ANY REPRODUCTION IN WHOLE OR PART IS STRICTLY PROHIBITED WITHOUT OUR WRITTEN CONSENT.

DRAWN BY	SCALE	DATE	REVISED	VERSION NO.
SCS	45	18-Jun-2023	AD-7062-01-V1	01

Titan Trailer Inc.

Trison Michels Side Roll Latch Plate Tarp Form

Work Order #

7062

Customer Name:

OT Stock

Trailer Type

45-3TWHP

Dealer

Ocean Trailer

Trailer Length

45 ft

Width

102" Nominal

Tarp colour

Black

Tarp Style

Automatic

Manual

X

22oz Standard

X

Yes

No

Qty

Extra Tarp Width

X

Latchplate location

Roadside

X

or

Curbside

Qty

Tarp Stops Style Standard

Michel's Flip Release Tarp Stop

X

7

mounted 1" down from radius

Tarp Headers

Flat Front

Flat Rear

4" Rise Front

4" Rise Rear

9" Rise Front

9" Rise Rear

X

X

Any questions, please call.

Trison Latch Plate - Standard

Yes

No

Qty

Drain holes Required

X

Note: Location of drain holes will be determined by the trailer design. Std grommet size is #4 (.625")

Front

Rear

Tarp Crank location

X

Cranking tarp from front is not recommended for trailers that have 24" standard catwalk

Tarp Crank length will be determined by location

ADDITIONAL NOTES.

Trison to use Michels Hardware. Holder for tarp crank handle is to be either welded or bolted fully through so it won't pull out of the trailer. Crank retainer(s) to be bolt and nut fastened with washer plates on either side of thingwall. Add internal flap.

Please complete sign, date and fax back to 519-688-3083

Customer Signature

Date