



Quote 11-Apr-24
 New Order 16-Apr-24
 FINAL

Revision

28-3TWHP-L OT (2 Hopper) Ref# 7227L

CUSTOMER APPLICATION **Agri-Products**

W/O# **7310L**

DATE: 23-Apr-24

B-TRAIN LEAD

SPIF 12: B-Train

ORDER STATUS **Final to approve**

CUSTOMER NAME	OT Stock	PO #	95952-95969	File #	
ADDRESS	1st release: 6 units	DRAWING#	SEE PUP		
CITY	2nd release: 6 units	CONTACT			
PROV/PC STATE/ZIP	3rd release: 6 units	DEALER	Ocean Trailer		
PHONE		SHIP VIA	FOB Delhi, ON		
FAX		SALESMAN	Will Tucker		
DEPOSIT REQUIRED		OFFICE USE			

Qty = 18 SET(S)

(MAY CHANGE, MUST BE CONFIRMED AT TIME OF ORDER)

SERIAL NUMBER/S	Pg 3			PRICING
BASE MODEL	28-3TWHP-L OT (2 Hopper)	STYLE	Straight	See Pup
PANEL CONFIGURATION	UBP, 4-14" ELD Panels, 12" V1 Top Panel with Integrated Latchplate Roadside			
OVERALL LENGTH	28' (not including stinger)	OVERALL WIDTH	102" Nominal	
OVERALL HEIGHT	143-1/2" approx	SIDE HEIGHT	82-3/8"	
KING PIN LOCATION	18" BOLT IN			
UPPER COUPLER	Alum Coupler Assembly w/Steel wear plate (3" drop) - Set @ 48" High			
	PRIMARY	LIFT or STEERS		
NUMBER OF AXLES	3			
AXLES	Intraax-Tapered Spindle			Note 6
AXLE TRACK	77"			
SUSPENSION	Intraax AAL 23K			
LOCATION OF SPREADS	See axle layout			
HUB & DRUM ASSEMBLY	10 Stud, Dura-Light Hub/Centrifuse Drum			
DISC WHEEL SIZE	8.25 x 22.5			
RIMS	ALUM LVL Outer/Inner			
TIRES	Brand	Goodyear		
	Size	11R22.5 - 41.5 dia		
	Tread	Marathon RSS		
	Ply	16		
	Quantity	12		
OVERALL HEIGHT (From Ground)	143-1/2" approx			
AXLE LAYOUT	FRONT-Prim-60-Prim-60-Prim-27-REAR			Sub(1)

28-3TWHP-L OT (2 Hopper)**Ref# 7227L****Pg.2**

CUSTOMER NAME:

OT Stock

PO #

95952-95969

File #

S/N

Pg 3

W/O#

7310L

			Note#	PRICING
OIL SEALS		To suit axles		
LUBRICANTS		Oil 80W-90		
BRAKES	ABS	2S2M		In Base
	Slack Adj./Caliper	Haldex Auto		In Base
	Cam Enclos	All Axles & c/w dust shields		In Base
LIFT KITS		None		
LIFT CONTROLS		None		
FRAME WIDTH		48"		
REAR BUMPER		None		
TIRE CARRIER		None		
LANDING GEAR		Just: AX151-G8-17 (Alum LG, 5 YR maintenance free, 10 YR warranty)		
INTERIOR SLOPE	Angle	30 degrees		
	Material	All TW Panels		
WALL DIVIDERS FOR HOPPER		Yes: 1 position (TW Panel/Vented)		
HOPPER KNOCKRAIL/VIBRATOR		Manual knock rails		
HOPPER DOOR SIZE		22"W x 22"L (double doors)	3	
HOPPER DOOR OPERATOR		Dual crank direct drive (roadside/curbside)	8	
TARP HEADER		9" rise Front & Rear		
TARP BASKET		None		
TARP-See Tarp Form		Manual Michel's Side Roll tarp (Trison installed). Rolls open to Curbside.		
MUD FLAPS	Style	Titan Black Rubber		
	Location	(4) at landing gear, (2) behind Axle 1, (2) behind Axle 2, (4) at rear	7b	
PAINT- Paint Form	Frame	Natural Aluminum		
	Suspension	Titan Black		
	Rims or Disc	Aluminum		
LIGHTS (LED standard)		Front: (2) mkrs. Sides: (3) mkrs (includes midturn). Rear: (5) mkrs at top, (9) 4" round red taillights (3-3-3).	2, 4	
LIGHTS' OPTION #1		Add (7) mkr lights per side, for a total of (5) Top & (5) Bottom		
LIGHTS' OPTION #2		Add High Mount Brake lights to take place of outer two mkrs at top		
ACCESS	Catwalk	Flat HP style, 12" grating front & rear, approx 30" down from top of sidewall		
	J-Ladder-Front	Roadside		
	J-Ladder-Rear	Roadside		
	Steps-Hopper Slope	Front to Rear-centerline of trailer		
	Steps-Front-Ins	Offset steps to roadside & on inside of roadside wall at front		
	Steps-Rear-Ins	Offset steps to roadside & on inside of roadside wall at rear		
FENDERS		None - See Note	7a	See Pup
			Sub(2)	

28-3TWHP-L OT (2 Hopper)

Ref# 7227L

Pg.3

CUSTOMER NAME: **OT Stock**
 PO # **95952-95969** File # **S/N** Pg 3 W/O# **7310L**

ADDITIONAL SPECIFICATIONS **PRICING**

- 1) Aluminum Fifth Wheel (FWALX700XL00)
- 2 a) Install Interior Lights, (1) per hopper compartment. Wired to switch on Front Wall powered by Blue on STD plug.
- b) Install (1) Work Light at each hopper door. Wired to switch in control box powered by Blue on STD plug.
- c) Add (1) pair of Back-up lights in lightbar, located inside of outer (3) cluster each side (4-3-4). Wired to Blue on ISO plug.
- 3) Hopper ground clearance will be approximately: 25" @ 48" fifth wheel height
26" if truck has 49" fifth wheel height
- 4) Install LED light in control box.
- 5) Run air line to a 3/8" female Quick Connect Coupler in control box from pressure protected air tank.
- 6) Add TireMaax Pro Tire Inflation system to all axles. **See Pup**
- 7 a) Trailers to be drawn without fenders as fender option will be decided 7 weeks prior to QC date and implemented via revision.
- b) Mudflaps behind Axles 1 & 2 will hang off of fender choice
- 8) Hopper door cranks to be bolt-on to allow for future option of changing to Michel's electric doors

UNIT #	PO #	LEAD VIN'S:	UNIT #	PO #	LEAD VIN'S:
1	95952	2TVHP2839SD000492	11	95962	2TVHP2838SD000502
2	95953	2TVHP2830SD000493	12	95963	2TVHP283XSD000503
3	95954	2TVHP2832SD000494	13	95964	2TVHP2831SD000504
4	95955	2TVHP2834SD000495	14	95965	2TVHP2833SD000505
5	95956	2TVHP2836SD000496	15	95966	2TVHP2835SD000506
6	95957	2TVHP2838SD000497	16	95967	2TVHP2837SD000507
7	95958	2TVHP283XSD000498	17	95968	2TVHP2839SD000508
8	95959	2TVHP2831SD000499	18	95969	2TVHP2830SD000509
9	95960	2TVHP2834SD000500			
10	95961	2TVHP2836SD000501			

Any applicable Federal or Provincial Taxes are not included.

DATE: 23-Apr-24	Sub Total (3)	
SUBMITTED	Sub Total (2)	
By	Sub Total (1)	
Signature Date 	TOTAL PRICE PER UNIT	
Accepted By:	TOTAL COST	
Signature	NET COST	CAD\$
Sk 4/17/2024		See Pup

TITAN TRAILERS

PAINT COLOUR & CODE FORM

CUSTOMER	OT Stock	TITAN WORK ORDER #	7310L
DEALER	Ocean Trailer	DEALER WORK ORDER #	
		PURCHASE ORDER #	
		UNITS IF APPLICABLE	18
TRAILER TYPE	28-3TWHP-L OT (2 Hopper)		

Body	PAINT COLOUR	PRODUCT NAME	PAINT CODE
	Natural	None	None
Frame	Natural	None	None
Running Gear	Black	Titan	None

If paint colours are Titan Red, Black or Silver please enter Titan under product name & no code is required.

***IF Fully Painted, Thinwall trailers will be painted underneath same as frame & running gear*
& axles will not be painted prior to going to paint.**

All Thinwall Trailers that have Body left Natural will receive silver air tanks & silver upper couplers

*Dealer or Customer must supply Titan Trailers with required paint codes, product name, colour and a

DRY sample of paint. All Two Toned Painted Trailers* must have additional detailed written specifications

entered above.

Paint Chip Required

NO

Complete Form in Full

Dealer Signature

Date

Paint Information needed by this date

Failure to meet this date will delay trailer completion

TITAN TRAILERS WILL NOT BE RESPONSIBLE FOR INCORRECT PAINT SPECIFICATIONS

Office Use Only

Trailer Sales Department

Date

Signature

TITAN TRAILERS - TRAILER WIRING SCHEMATICS

Wiring Specs



1129 Hwy #3, R.R. #3
Delhi, Ontario
Canada, N4B 2W6



Phone: 519-688-4826
Fax: 519-688-3083
www.titantrailers.com

28-3TWH-P-L OT (2 Hopper)

Work Order	7310L
P.O. #	95952-95969
Quantity	18

Customer	OT Stock
Dealer	Ocean Trailer
Dealer #	

MAIN FRONT Lead				MAIN REAR Lead			
x	STD 7-WAY PLUG			x	STD 7-WAY PLUG		
	#	COLOUR	FUNCTION		#	COLOUR	FUNCTION
	1	WHITE	GROUND		1	WHITE	Ground
	2	BLACK	MARKER & TAILLIGHTS		2	BLACK	MARKER & TAILLIGHTS
	3	YELLOW	LEFT TURN		3	YELLOW	LEFT TURN
	4	RED	STOP		4	RED	STOP
	5	GREEN	RIGHT TURN		5	GREEN	RIGHT TURN
	6	BROWN	MARKER & TAILLIGHTS		6	BROWN	MARKER & TAILLIGHTS
7	BLUE	ABS	7	BLUE	ABS		

AUX FRONT Lead				AUX REAR Lead			
X	ISO 7-WAY PLUG			X	ISO 7-WAY PLUG		
	#	COLOUR	FUNCTION		#	COLOUR	FUNCTION
	1	WHITE	GROUND		1	WHITE	GROUND
	2	BLACK			2	BLACK	
	3	YELLOW			3	YELLOW	
	4	RED			4	RED	
	5	GREEN			5	GREEN	
	6	BROWN			6	BROWN	
7	BLUE	Back-up lights	7	BLUE	Back-up lights		

INTERIOR LIGHTS ON SWITCH ON FRONT WALL, EXTERIOR LIGHTS ON SWITCH IN CONTROL BOX POWERED ON MAIN BLUE CIRCUIT LEAD AND PUP

Plug Information needed no later that the following date:

Failure to meet this date will delay trailer completion.

Dealer

Signature:	Date:	
-------------------	--------------	--

Date form returned:	Trailer Sales Initials:	
----------------------------	--------------------------------	--

Titan Trailers Inc.

Manual Michel's Side Roll (Latchplate) Tarp Form



Trailer Info

Work Order #	7310L	Ref #	7227L	Trailer Type	28-3TWHP-L OT (2 Hopper)
Customer Name	OT Stock	Dealer	Ocean Trailer		
Trailer Length	28'	Trailer Width	102" Nominal	Tarp Headers	9" rise Front & Rear

Tarp Info

Rolls Open To	Curbside				
Tarp Colour	Black	Extra Tarp Width	NO X	YES	QTY
Tarp Material	Vinyl	Drain Holes Required		OR	Mesh
	X	NO X	YES		

QTY & location of drain holes will be determined by trailer design as per Trison's recommendation. Std size is 2" x 2" mesh.

Latchplate Location	Roadside	Latchplate Style	Titan Integrated Latch Plate (hoppers)
----------------------------	----------	-------------------------	--

Latch plates for tarps to be stitch welded to trailers

Michel's Flip Release Tarp Stop	QTY 5
--	----------

Tarp Return	Michel's Cable Return
--------------------	-----------------------

Tarp Crank Location	Rear
----------------------------	------

Cranking from front is not recommended for trailers that have 24" std catwalk

Tarp crank length will be determined by location

Holder for tarp crank is to be either fully welded or bolted so it won't pull out of trailer

Additional Notes

- 1) Trison installed Trison/Michel's tarp. Trison to use Michel's hardware.
- 2) Add internal flap

Customer Signature		Date	
---------------------------	--	-------------	--



Quote 11-Apr-24
 New Order 16-Apr-24
 FINAL

Revision

28F6-2TWH-P OT (2 Hopper) Ref# 7227P

CUSTOMER APPLICATION **Agri-Products**

W/O# 7310P

DATE: 23-Apr-24

B-TRAIN PUP

SPIF 12: B-Train

ORDER STATUS **Final to approve**

CUSTOMER NAME	OT Stock	PO #	95952-95969	File #	
ADDRESS	1st release: 6 units		DRAWING#	AD-7310-01-V1	
CITY	2nd release: 6 units		CONTACT		
PROV/PC STATE/ZIP	3rd release: 6 units		DEALER	Ocean Trailer	
PHONE			SHIP VIA	FOB Delhi, ON	
FAX			SALESMAN	Will Tucker	
DEPOSIT REQUIRED	No	OFFICE USE			

Qty = 18 SET(S)

(MAY CHANGE, MUST BE CONFIRMED AT TIME OF ORDER)

SERIAL NUMBER/S	Pg 3			PRICING
BASE MODEL	28F6-2TWH-P OT (2 Hopper)	STYLE	Straight	
PANEL CONFIGURATION	UBP, 4-14" ELD Panels, 12" V1 Top Panel with Integrated Latchplate Roadside			
OVERALL LENGTH	28' 6"	OVERALL WIDTH	102" Nominal	
OVERALL HEIGHT	143-1/2" approx	SIDE HEIGHT	82-3/8"	
KING PIN LOCATION	15" BOLT IN			
UPPER COUPLER	Alum Coupler Assembly w/Steel wear plate - Set @ 51" High			
	PRIMARY	LIFT or STEERS		
NUMBER OF AXLES	2			
AXLES	Intraax-Tapered Spindle			Note 6
AXLE TRACK	77"			
SUSPENSION	Intraax AAT 23K			
LOCATION OF SPREADS	See axle layout			
HUB & DRUM ASSEMBLY	10 Stud, Dura-Light Hub/Centrifuse Drum			
DISC WHEEL SIZE	8.25 x 22.5			
RIMS	ALUM LVL Outer/Inner			
TIRES	Brand	Goodyear		
	Size	11R22.5 - 41.5 dia		
	Tread	Marathon RSS		
	Ply	16		
	Quantity	8		
OVERALL HEIGHT (From Ground)	143-1/2" approx			
AXLE LAYOUT	FRONT-Prim-48-Prim-24-REAR			Sub(1)

28F6-2TWH-P OT (2 Hopper)

Ref# 7227P

Pg.2

CUSTOMER NAME:

OT Stock

PO #

95952-95969

File #

S/N

Pg 3

W/O #

7310P

			Note#	PRICING
OIL SEALS		To suit axles		
LUBRICANTS		Oil 80W-90		
BRAKES	ABS	2S1M		
	Slack Adj./Caliper	Haldex Auto		
	Cam Enclos	All Axles & c/w dust shields		
LIFT KITS		None		
LIFT CONTROLS		None		
FRAME WIDTH		47-1/4"		
REAR BUMPER		None		
TIRE CARRIER		None		
LANDING GEAR		Jost: AX151-G8-17 (Alum LG, 5 YR maintenance free, 10 YR warranty)		
INTERIOR SLOPE	Angle	30 degrees		
	Material	All TW Panels		
WALL DIVIDERS FOR HOPPER		Yes: 1 position (TW Panel/Vented)		
HOPPER KNOCKRAIL/VIBRATOR		Manual knock rails		
HOPPER DOOR SIZE		22"W x 22"L (double doors)	2	
HOPPER DOOR OPERATOR		Dual crank direct drive (roadside/curbside)	8	
TARP HEADER		9" rise Front & Rear		
TARP BASKET		None		
TARP-See Tarp Form		Manual Michel's Side Roll tarp (Trison installed). Rolls open to Curbside.		
MUD FLAPS	Style	Titan Black Rubber		
	Location	(4) at landing gear, (4) at rear		
PAINT- Paint Form	Frame	Natural Aluminum		
	Suspension	Titan Black		
	Rims or Disc	Aluminum		
LIGHTS (LED standard)		Front: (2) mks. Sides: (3) mks (includes midturn). Rear: (5) mks at top, (9) 4" round red taillights (3-3-3).	1,3,5	
LIGHTS' OPTION #1		Add (7) mkr lights per side, for a total of (5) Top & (5) Bottom		
LIGHTS' OPTION #2		Add High Mount Brake lights to take place of outer two mks at top		
ACCESS	Catwalk	Flat HP style, 12" grating front & rear, approx 30" down from top of sidewall		
	J-Ladder-Front	Roadside		
	J-Ladder-Rear	Roadside		
	Steps-Hopper Slope	Front to Rear-centerline of trailer		
	Steps-Front-Ins	Offset steps to roadside & on inside of roadside wall at front		
	Steps-Rear-Ins	Offset steps to roadside & on inside of roadside wall at rear		
FENDERS		None - See Note	7	
			Sub(2)	

28F6-2TWHP-P OT (2 Hopper)**Ref# 7227P****Pg.3**

CUSTOMER NAME:

OT Stock

PO #

95952-95969

File #

S/N

Pg 3

W/O#

7310P**ADDITIONAL SPECIFICATIONS****PRICING**

1 a) Install Interior Lights, (1) per hopper compartment. Wired to switch on Front Wall powered by Blue on STD plug.

b) Install (1) Work Light at each hopper door. Wired to switch in control box powered by Blue on STD plug.

c) Add (1) pair of Back-up lights in lightbar, located inside of outer (3) cluster each side (4-3-4). Wired to Blue on ISO plug.

2) Hopper ground clearance will be approximately: 25" @ 51" fifth wheel height

3) Install LED light in control box.

4) Run air line to a 3/8" female Quick Connect Coupler in control box from pressure protected air tank.

5) Add (4) mkr lights down the face of each rear post, for a total of (8).

6) Add TireMaax Pro Tire Inflation system to all axles.

7) Trailers to be drawn without fenders as fender option will be decided 7 weeks prior to QC date and implemented via revision.

8) Hopper door cranks to be bolt-on to allow for future option of changing to Michel's electric doors

9) Bolt on D-rings at rear in light bar extension

UNIT #	PO #	LEAD VIN'S:	PUP VIN'S:
1	95952	2TVHP2839SD000492	2TVHP2828SD000510
2	95953	2TVHP2830SD000493	2TVHP282XSD000511
3	95954	2TVHP2832SD000494	2TVHP2821SD000512
4	95955	2TVHP2834SD000495	2TVHP2823SD000513
5	95956	2TVHP2836SD000496	2TVHP2825SD000514
6	95957	2TVHP2838SD000497	2TVHP2827SD000515
7	95958	2TVHP283XSD000498	2TVHP2829SD000516
8	95959	2TVHP2831SD000499	2TVHP2820SD000517
9	95960	2TVHP2834SD000500	2TVHP2822SD000518
10	95961	2TVHP2836SD000501	2TVHP2824SD000519
11	95962	2TVHP2838SD000502	2TVHP2820SD000520
12	95963	2TVHP283XSD000503	2TVHP2822SD000521
13	95964	2TVHP2831SD000504	2TVHP2824SD000522
14	95965	2TVHP2833SD000505	2TVHP2826SD000523
15	95966	2TVHP2835SD000506	2TVHP2828SD000524
16	95967	2TVHP2837SD000507	2TVHP282XSD000525
17	95968	2TVHP2839SD000508	2TVHP2821SD000526
18	95969	2TVHP2830SD000509	2TVHP2823SD000527

Any applicable Federal or Provincial Taxes are not included.

DATE: **23-Apr-24**

SUBMITTED

By

Signature

Date

Accepted By:

Signature

Sk 4/17/2024

Sub Total (3)

Sub Total (2)

Sub Total (1)

TOTAL PRICE PER UNIT

TOTAL COST

NET COST**CAD\$**

TITAN TRAILERS

PAINT COLOUR & CODE FORM

CUSTOMER	OT Stock	TITAN WORK ORDER #	7310P
DEALER	Ocean Trailer	DEALER WORK ORDER #	
		PURCHASE ORDER #	
		UNITS IF APPLICABLE	18
TRAILER TYPE	28F6-2TWHP-P OT (2 Hopper)		

	PAINT COLOUR	PRODUCT NAME	PAINT CODE
Body	Natural	None	None
Frame	Natural	None	None
Running Gear	Black	Titan	None

If paint colours are Titan Red, Black or Silver please enter Titan under product name & no code is required.

***IF Fully Painted, Thinwall trailers will be painted underneath same as frame & running gear*
& axles will not be painted prior to going to paint.**

All Thinwall Trailers that have Body left Natural will receive silver air tanks & silver upper couplers
 Dealer or Customer must supply Titan Trailers with required paint codes, product name, colour and a DRY sample of paint. All Two Toned Painted Trailers must have additional detailed written specifications entered above.

Paint Chip Required

NO

Complete Form in Full

Dealer Signature
Date

Paint Information needed by this date

Failure to meet this date will delay trailer completion

TITAN TRAILERS WILL NOT BE RESPONSIBLE FOR INCORRECT PAINT SPECIFICATIONS

Office Use Only
Trailer Sales Department

Date

Signature		
-----------	--	--

TITAN TRAILERS - TRAILER WIRING SCHEMATICS

1129 Hwy #3, R.R. #3
Delhi, Ontario
Canada, N4B 2W6


Wiring Specs

Phone: 519-688-4826
Fax: 519-688-3083
www.titantrailers.com

28F6-2TWH-P OT (2 Hopper)


Work Order	7310P
P.O. #	95952-95969
Quantity	18

Customer	OT Stock
Dealer	Ocean Trailer
Dealer #	



#	COLOUR	FUNCTION
1	WHITE	GROUND
2	BLACK	MARKER, TAIL, LP, ID
3	YELLOW	LEFT TURN
4	RED	STOP
5	GREEN	RIGHT TURN
6	BROWN	MARKER & TAILLIGHTS
7	BLUE	ABS

INTERIOR LIGHTS ON SWITCH ON FRONT WALL, EXTERIOR LIGHTS ON SWITCH IN CONTROL BOX POWERED ON MAIN BLUE CIRCUIT LEAD AND PUP



#	COLOUR	FUNCTION
1	WHITE	GROUND
2	BLACK	
3	YELLOW	
4	RED	
5	GREEN	
6	BROWN	
7	BLUE	Back up lights

	STD 7-WAY PLUG
X	ISO 7-WAY PLUG


Plug Information needed no later that the following date:

Failure to meet this date will delay trailer completion.

Dealer	
Signature: 	Date:
Date form returned: 	Trailer Sales Initials:

CONFIGURATION APPROVAL DRAWING

THIS DRAWING CONFIRMS BASIC TRAILER DIMENSIONS; OVERALL HEIGHT, OVERALL LENGTH, PIN SETTING AND AXLE POSITIONS ONLY.
TRAILER OPTIONS MUST BE VERIFIED BY REFERRING TO THE SALES ORDER. ANY DISCREPANCIES MUST BE REPORTED TO TITAN TRAILERS INC.



- NOTES:
1. 26" HOPPER GROUND CLEARANCE WITH 49" LEAD COUPLER, LEAD TRIDEM RIDE HEIGHT AT 10" AND PUP TANDEM RIDE HEIGHT AT 15"

INTRAAK AAL23K-9 (LIMITED JOUNCE) TRIDEM
HOLLAND FVALX700XL00 ALUMINIUM 5TH WHEEL 7" MOUNT HEIGHT

SUSPENSIONS: HENDRICKSON INTRAAX
TIRES: 11R22.5
LANDING GEAR: JOST AX151-68-17 ALUMINIUM LEG
VOLUME: LEAD 1326 CU FT (49.1 CU YD), PUP 1335 CU FT (49.4 CU YD), TOTAL 2661 CU FT (98.6 CU YD)

APPROVED BY: _____ DATE: _____

SIGNATURE: _____

NO. NO. 7310

DEALER NO. _____



CUSTOMER: OT STOCK - WEST SPEC
TRAILER: 28' LEAD AND 28' 6" PUP 3 AXLE LEAD, 2 AXLE PUP (SPF 12) AGRI APPLICATION

DEALER IS RESPONSIBLE TO CHECK THAT TRAILER CONFIGURATION SHOWN ON THIS DRAWING CONFORMS TO ALL PROVINCIAL, STATE AND/OR FEDERAL REGULATIONS. THIS DRAWING IS THE SOLE PROPERTY OF TITAN TRAILERS. ANY REPRODUCTION IN WHOLE OR PART IS STRICTLY PROHIBITED WITHOUT OUR WRITTEN CONSENT.

DRAWING NO	SCALE	DATE	DRWG	REASON
SC8	56	19-Apr-2024	AD-7310-01-VI	01

Titan Trailers Inc.

Manual Michel's Side Roll (Latchplate) Tarp Form



Trailer Info

Work Order #	7310P	Ref #	7227P	Trailer Type	28F6-2TWH-P OT (2 Hopper)
Customer Name	OT Stock	Dealer	Ocean Trailer		
Trailer Length	28' 6"	Trailer Width	102" Nominal	Tarp Headers	9" rise Front & Rear

Tarp Info

Rolls Open To	Curbside				
Tarp Colour	Black	Extra Tarp Width	NO	YES	QTY
		X			
Tarp Material	Vinyl	Drain Holes Required		OR	Mesh
	X	NO	YES		
		X			

QTY & location of drain holes will be determined by trailer design as per Trison's recommendation. Std size is 2" x 2" mesh.

Latchplate Location	Roadside	Latchplate Style	Titan Integrated Latch Plate (hoppers)
----------------------------	----------	-------------------------	--

Latch plates for tarps to be stitch welded to trailers

Michel's Flip Release Tarp Stop	QTY
	5

Tarp Return	Michel's Cable Return
--------------------	-----------------------

Tarp Crank Location	Front
----------------------------	-------

Cranking from front is not recommended for trailers that have 24" std catwalk

Tarp crank length will be determined by location

Holder for tarp crank is to be either fully welded or bolted so it won't pull out of trailer

Additional Notes

1) Trison installed Trison/Michel's tarp. Trison to use Michel's hardware.
 2) Add internal flap

Customer Signature		Date	
---------------------------	--	-------------	--