



Quote 26-Nov-25

New Order 01-Dec-25

FINAL

Revision

**45-3TWHP OT (2 Hopper)**

Ref# **7223**

CUSTOMER APPLICATION

**Agri-Products**

W/O# **7611**

DATE: 17-Dec-25

**SINGLE TRAILER**

**SPIF 1: Single / Tandem / Tridem**

**ORDER STATUS** **Final to approve**

CUSTOMER NAME	<b>OT Stock</b>	PO #	<b>98281 - 98285</b>	
ADDRESS			DRAWING #	<b>AD-7611-01-V1</b>
CITY			CONTACT	
PROV/PC STATE/ZIP			DEALER	<b>Ocean Trailer</b>
PHONE			SHIP VIA	<b>FOB Delhi, ON</b>
E-mail			SALESMAN	<b>Will Tucker</b>
DEPOSIT REQUIRED		<b>OFFICE USE</b>		

**Qty =**

**5**

(MAY CHANGE, MUST BE CONFIRMED AT TIME OF ORDER)

SERIAL NUMBER/S	<b>Pg 3</b>			PRICING
BASE MODEL	<b>45-3TWHP OT (2 Hopper)</b>	STYLE	<b>Straight</b>	
PANEL CONFIGURATION	82-3/8"H: UBP, 4-14" ELD Panels, 12" V1 Top Panel with Integrated Latchplate Roadside			
OVERALL LENGTH	<b>45'</b>	OVERALL WIDTH	<b>102" Nominal</b>	
OVERALL HEIGHT	<b>11' 11-1/2" (143-1/2") approx</b>	SIDE HEIGHT	<b>82-3/8"</b>	
KING PIN LOCATION	<b>15" BOLT IN</b>			
UPPER COUPLER	<b>Alum Coupler Assembly w/Steel wear plate (3" drop) - Set @ 48" High</b>			
	PRIMARY	LIFT or STEERS		
NUMBER OF AXLES	<b>3</b>			
AXLES	<b>Intraax-Tapered Spindle</b>			<b>Note 8</b>
AXLE TRACK	<b>77.5"</b>			
SUSPENSION	<b>Intraax AAT 23K</b>			
LOCATION OF SPREADS	<b>See axle layout</b>			
HUB & DRUM ASSEMBLY	<b>10 Stud, Dura-Light Hub/Centrifuse Drum</b>			
DISC WHEEL SIZE	<b>8.25 x 22.5</b>			
RIMS	<b>ALUM LVL Outer/Inner</b>			
TIRES	Brand	<b>Bridgestone</b>		
	Size	<b>11R22.5 - 41.4 dia</b>		
	Tread	<b>R250 ED</b>		
	Ply	<b>16</b>		
	Quantity	<b>12</b>		
OVERALL HEIGHT (From Ground)	<b>11' 11-1/2" (143-1/2") approx</b>			
AXLE LAYOUT	<b>FRONT-Prim-60-Prim-60-Prim-24-REAR</b>			Sub(1)

CUSTOMER NAME:

OT Stock

PO #

98281 - 98285

File #

S/N

Pg 3

W/O#

7611

			Note#	PRICING
OIL SEALS	To suit axles			
LUBRICANTS	Oil: 80W-90			
BRAKES	iABS	2S2M Meritor Wabco		
	Slack Adj./Caliper	DRUM BRAKES: Haldex Auto		
	Cam Enclos	DRUM BRAKES: All Axles & c/w dust shields		
LIFT KITS	None			
LIFT CONTROLS	None			
FRAME WIDTH	47-1/4"			
REAR BUMPER	<b>None</b>		4	
TIRE CARRIER	None			
LANDING GEAR	Jost Alumilight Series: AX151-G8 (5 YR maintenance free, 10 YR warranty) - Cushion Foot			
INTERIOR SLOPE	Angle	30 degrees		
	Material	All TW Panels		
WALL DIVIDERS FOR HOPPER	Yes: 1 position (TW Panel/Vented)			
HOPPER KNOCKRAIL/VIBRATOR	Manual knock rails			
HOPPER DOOR SIZE	24" W x 22" L (single door) - 24" ground clearance at 48" coupler height		9	
HOPPER DOOR OPERATOR	Dual crank direct drive (roadside/curbside)			
TARP HEADER	9" rise Front & Rear			
TARP BASKET	None			
TARP-See Tarp Form	Manual Michel's Sideroll tarp (Trison installed). Rolls open to Curbside.			
MUD FLAPS	Style	Titan Black Rubber		
	Location	(4) at landing gear, (2) ahead of prim group, (4) at rear		
PAINT- Paint Form	Body/Frame	Natural Aluminum		
	Suspension	Titan Black		
	Rims or Disc	Aluminum		
LIGHTS (LED standard)	Front: (2) mkrs. Sides: (3) mkrs (includes midturn). Rear: (5) mkrs at top, (9) 4" round red taillights (3-3-3).		1,2,3,5,6	
ADD SIDEWALL LIGHTS	Add (7) mkr lights per side, for a total of (5) Top & (5) Bottom			
ADD UPPER FRONT/REAR LIGHTS	Add High Mount Brake lights to take place of outer two mkrs at top			
ACCESS	Catwalk	Flat HP style, 12" grating front & rear, approx 30" down from top of sidewall		
	J-Ladder-Front	Roadside Full Height		
	J-Ladder-Rear	Roadside Full Height		
	Steps-Hopper Slope	Front to Rear-centerline of trailer		
	Steps-Front-Ins	Offset steps to roadside & on inside of roadside wall at front		
	Steps-Rear-Ins	Offset steps to roadside & on inside of roadside wall at rear		
FENDERS	None			
		Sub(2)		

**CUSTOMER NAME:**

PO # 98281 - 98285

File #

OT Stock

S/N

Pg 3

W/O# 7611

Freight & Brokerage Fees are not included.

Any & all applicable Federal or State/Provincial Taxes are not included and are the responsibility of the customer.

DATE:	17-Dec-25	Sub Total (3)	
SUBMITTED		Sub Total (2)	
By		Sub Total (1)	
Signature	Date	TOTAL PRICE PER UNIT	
Accepted By:		TOTAL COST	
Signature	Sk 12/9/2025	NET COST	CAD\$

# Titan Trailers Inc.

## PAINT FORM

Customer	OT Stock	Titan Work Order #	7611
Dealer	Ocean Trailer	DLR #	
QTY	5	DLR PO #	98281 - 98285
		Trailer Type	45-3TWHP OT (2 Hopper)

\*If paint colours are Titan Red, Black, or Silver please enter Titan under product name & no code is required\*

\*If Painted please fill out below fields\*

Body	Natural Aluminum	Paint Colour	Product Name	Paint Code
Frame	Natural Aluminum			
Clear Coat (Aluprotex)	No			

Running Gear	Paint Colour	Product Name	Paint Code
Galvanized Hangers	Black	Titan	None

Ladder(s)	N/A	Paint Colour	Product Name	Paint Code
Catwalk(s)	N/A			

Paint Chip Required	No
---------------------	----

\*Orders with steel air tanks will be painted Base Grey\*

\*Order with steel couplers will be painted Titan Black\*

Additional Specifications

--	--

Dealer Signature

	Date
--	------

# TITAN TRAILERS - TRAILER WIRING SCHEMATICS

1129 Hwy #3, R.R. #3  
Delhi, Ontario  
Canada, N4B 2W6

## Wiring Specs

Phone: 519-688-4826  
Fax: 519-688-3083  
[www.titantrailers.com](http://www.titantrailers.com)

**45-3TWHP OT (2 Hopper)**

**Work Order**

**7611**

**DLR PO #**

**98281 - 98285**


**Quantity**

**5**

Main

STD 7-WAY PLUG


**MAIN**



Aux

ISO 7-WAY PLUG

**AUX**



STD 7-WAY PLUG

ISO 7-WAY PLUG

**X**

**Customer**

**OT Stock**

**Dealer**

**Ocean Trailer**

**Dealer #**

#	COLOUR	FUNCTION
1	WHITE	Ground
2	BLACK	Marker & Taillights
3	YELLOW	Left Turn
4	RED	Stop
5	GREEN	Right Turn
6	BROWN	Marker & Taillights
7	BLUE	ABS,Int/Ext Hopper lights, Control box light

INTERIOR LIGHTS ON SWITCH ON FRONT WALL,  
EXTERIOR LIGHTS ON SWITCH IN CONTROL BOX  
POWERED ON MAIN BLUE

#	COLOUR	FUNCTION
1	WHITE	Ground
2	BLACK	
3	YELLOW	
4	RED	
5	GREEN	
6	BROWN	
7	BLUE	Back-up lights

**Plug Information needed no later than the following date:**

**Failure to meet this date will delay trailer completion.**

**Dealer**

**Signature:**

**Date:**


**Date form returned:**

**Trailer Sales Initials:**

# CONFIGURATION APPROVAL DRAWING

THIS DRAWING CONFIRMS BASIC TRAILER DIMENSIONS; OVERALL HEIGHT, OVERALL LENGTH, PIN SETTING AND AXLE POSITIONS ONLY.

TRAILER OPTIONS MUST BE VERIFIED BY REFERRING TO THE SALES ORDER. ANY DISCREPANCIES MUST BE REPORTED TO TITAN TRAILERS INC.



SUSPENSIONS: HENDRICKSON INTRAXX AAT-23K

TIRES: 11R22.5

LANDING GEAR: JOST AX151.G8.17 ALUMINUM

VOLUME: 1881 cu ft (69.7 cu yd)

OCEAN TRAILER

APPROVED BY

NO	NO
7611	
DEALER NO	
SIGNATURE	DATE

DEALER IS RESPONSIBLE TO CHECK THAT TRAILER CONFIGURATION SHOWN ON THIS DRAWING CONFORMS TO ALL PROVINCIAL, STATE AND/OR FEDERAL REGULATIONS. THIS DRAWING IS THE SOLE PROPERTY OF TITAN TRAILERS. ANY REPRODUCTION IN WHOLE OR PART IS STRICTLY PROHIBITED WITHOUT OUR WRITTEN CONSENT.

**TITAN**  
**TRAILERS**  
INC.

RR#3 DELHI, ONT

NRB 2M6

CUSTOMER

OT STOCK

DEALER IS RESPONSIBLE TO CHECK THAT TRAILER CONFIGURATION SHOWN ON THIS DRAWING CONFORMS TO ALL PROVINCIAL, STATE AND/OR FEDERAL REGULATIONS. THIS DRAWING IS THE SOLE PROPERTY OF TITAN TRAILERS. ANY REPRODUCTION IN WHOLE OR PART IS STRICTLY PROHIBITED WITHOUT OUR WRITTEN CONSENT.

45' 3-AXLE (SPFI) HOPPER

FULL AIRRIDE

GRAIN APPLICATION

RR#3 DELHI, ONT

NRB 2M6

TRAILER

45' 3-AXLE (SPFI) HOPPER

FULL AIRRIDE

GRAIN APPLICATION

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

500

**Titan Trailers Inc.**  
**Manual Michel's Side Roll (Latchplate) Tarp Form**



**Trailer Info**

Work Order #	7611	Ref #	7223	Trailer Type	45-3TWHP OT (2 Hopper)
--------------	------	-------	------	--------------	------------------------

Customer Name	OT Stock	Dealer	Ocean Trailer
---------------	----------	--------	---------------

Trailer Length	45'	Trailer Width	102" Nominal	Tarp Headers	9" rise Front & Rear
----------------	-----	---------------	--------------	--------------	----------------------

**Tarp Info**

Rolls Open To	Curbside
---------------	----------

NO	YES	QTY
----	-----	-----

Tarp Colour	Black	Extra Tarp Width	X		
-------------	-------	------------------	---	--	--

Tarp Material	Vinyl
---------------	-------

Vinyl Material: Drain Holes Required?	
---------------------------------------	--

NO	YES
X	

\*QTY & location of drain holes will be determined by trailer design as per Trison's recommendation. Std size is 2" x 2" mesh.\*

Latchplate Location	Roadside	Latchplate Style	Titan Integrated Latch Plate (hoppers)
---------------------	----------	------------------	--

QTY

Michel's Flip Release Tarp Stop	7
---------------------------------	---

Tarp Return	Michel's Cable Return
-------------	-----------------------

Tarp Crank Location	Rear
---------------------	------

\*Cranking from front is not recommended for trailers that have 24" std catwalk\*

\*Tarp crank length will be determined by location\*

\*Holder for tarp crank is to be either fully welded or bolted so it won't pull out of trailer\*

**Additional Notes**

- 1) Trison installed Trison/Michel's tarp. Trison to use Michel's hardware.
- 2) Add internal flap
- 3) Holder for tarp crank handle is to be either welded or bolted fully through so it won't pull out of the trailer.
- 4) Crank retainer(s) to be bolt & nut fastened with washer plates on either side of thinwall.

Customer Signature		Date	
--------------------	--	------	--