



Quote 30-Mar-26
New Order 16-Apr-26
FINAL

53-3TWWF OT

Ref#

Dup 7575

Revision

CUSTOMER APPLICATION

Woodchips

W/O# **7699**

DATE: 06-May-26

SINGLE TRAILER

SPIF 1: Single / Tandem / Tridem

ORDER STATUS Final to approve

CUSTOMER NAME	OT Stock	PO #	98980-98987, 98988-98989
ADDRESS	9076 River Road	DRAWING #	AD-7699-01-V1
CITY	Delta	CONTACT	
PROV/PC STATE/ZIP	BC, V4G 1B5	DEALER	Ocean Trailer
PHONE	604-940-0210	SHIP VIA	FOB Delhi, ON
E-mail	604-940-0610 Toll Free-1-800-891-8858	SALESMAN	Will Tucker

Is Vehicle Permitted? Yes or No

What is the combined Gross Vehicle Weight?

Qty = 10

SERIAL NUMBER/S	Pg 3	PRICING
BASE MODEL	53-3TWWF OT	STYLE Wedge
Wall CONFIGURATION	Front	to suit woodchip application
	Sides	to suit woodchip application
	Rear Door	Van, Solid, HD Stainless Lock Rods
OVERALL LENGTH	53'	OVERALL WIDTH 102" Nominal
OVERALL HEIGHT	13' 6" (162") approx	
KING PIN LOCATION	36" BOLT IN	
UPPER COUPLER	5/16" THK Steel - Set @ 48" High	
	PRIMARY	LIFT/STEERS
NUMBER OF AXLES	3	
AXLES	Intraax-Tapered Spindle	
AXLE TRACK	77.5"	
SUSPENSION	Intraax AAT 30K	
LOCATION OF SPREADS	See axle layout	
HUB / DRUM ASSEMBLY	10 Stud, Cast Hub/Cast Drum	
DISC WHEEL SIZE	8.25 x 22.5	
RIMS	ALUM LVL Outer/Inner	
TIRES	Brand	Bridgestone
	Size	11R22.5 - 41.4 dia
	Tread	R250 ED
	Ply	16
	Quantity	12
AXLE LAYOUT	FRONT-Prim-60-Prim-60-Prim-73-REAR	Sub(1)

53-3TWWF OT			Ref#	Dup 7575	Pg.2	
CUSTOMER NAME:			OT Stock			
PO #	98980-98987, 98988-98989		S/N	Pg 3	W/O #	7699
					Note#	PRICING
OIL SEALS		To suit axles				
LUBRICANTS		Oil: 80W-90				
BRAKES	iABS	2S2M Meritor Wabco				
	Slack Adj.	DRUM BRAKES: Haldex Auto				
	Cam Enclos	DRUM BRAKES: All axles & c/w dust shields				
LIFT KITS		None				
LIFT CONTROLS		None				
FRAME WIDTH		48"			1	
REAR BUMPER		Alum Underride			4	
ADDITIONAL BUMPER OPTION #1		None				
ADDITIONAL BUMPER OPTION #2		None				
TOW HOOKS		None				
TIRE CARRIER		None				
LANDING GEAR		SAF-Holland Mark V: 113 Low Profile Skid Foot, Standard hollow axle			2	
TOP RAIL		Titan Tapered, V1				
TOP CROSS TUBE		QTY (2) - 4" OD steel crosstube pinned to steel bolt-on brackets				
FLOOR CROSSMEMBERS		16" Centers				
WALKING FLOOR KIT		Keith Running Floor II: 3.5" Dia Cylinders, 10" Stroke			11	
SLAT MODEL & WIDTH		SEE NOTE 12			12	
SLAT WEAR STRIPS		None				
CONTINUOUS BEARING		Continuous Splash/Hold Down Bearings				
SIDE WALL WEAR PLATES		None				
FRONT ACCESS DOOR		None				
TARP STYLE/ROOF		Manual Trison Side Roll (West Coast Bungee) BLK VINYL tarp. Rolls open to Curbside.			5,6b	
TARP HEADER		Flat Front & Rear				
TARP BASKET		None				
TARP HOOKS		None				
AXLE FENDER		Titan 1/4" Rolled Aluminum: Full fenders over every axle				
HYD FITTING	Pressure	1" Quick Coupler-Male				
	Return	1" Quick Coupler-Female				
MUD FLAPS	Style	Titan Black Rubber				
	Location	(2) at rear (attached to fenders)				
MUD FLAPS - Landing Gear		QTY (4)				
PAINT (See Form)	Body- Color	Natural Aluminum				
	Run - Gear	Titan Black				
	Hub / Drum	Same as Running Gear				
	Rims or Disc	Aluminum				
LIGHT PACKAGE (LED standard)		Front: (1) mkr per corner mitre. Sides: (2) mkrs (includes midturn). Rear: (5) mkrs at top, (3) 4" round red taillights per side.				
ADD SIDEWALL LIGHTS		None				
ADD UPPER FRONT/REAR LIGHTS		None				
ACCESS	Catwalk	SEE NOTE 6			6	
	J-Ladder - Front	Roadside to Catwalk				
	J-Ladder - Rear	Roadside Full Height (centered between lock rods)				
	Steps-Front-Out	None				
	Steps-Front-Ins	None				
	Steps-Rear	Stirrup step located Roadside & Curbside, under lightbar, 2" in towards center from end of lightbar				
					Sub(2)	

53-3TWWF OT				Ref#	Dup 7575	Pg.3	
CUSTOMER NAME:				OT Stock			
PO #	98980-98987, 98988-98989			S/N	Pg 3	W/O#	7699
NOTE #	ADDITIONAL SPECIFICATIONS						PRICING
1	Add fender support in floor for future Intraax AAT 25K suspension, located 24" in from rear.						
	No crossmembers for the 4th axle installed.						
2a	Trailers to have maximum ground clearance & minimum ground penetration						
2b	Aluminum tube document holder located on Roadside, landing gear wingplate.						
3	Add QTY (1) recessed 4" air pressure gauge to Roadside sidewall.						
	Located 12" forward from trailer mid length and as high as possible, keeping clear of tarping system						
4	Prep for future addition of stainless clad rubber bumper blocks						
5	Manual Tarp Details: West Coast Bungee, Black Vinyl						
5a	Trison to install (1) chain & binder front & rear with (5) cables & West Coast Bungees, evenly spaced between						
5b	Titan to install tarp hooks & UHMW pads at the joint of each cable & bungee before going to Trison						
5c	Trison to install rubber wind deflector to front						
5d	Titan to provide storage for crank handle on the catwalk						
5e	Add 2 to 1 pull rope to tarp						
6a	SHIP LOOSE: QTY (1) Universal Roadside Entry 24" Catwalk. Ship catwalk inside trailer properly secured.						
	Drill holes in front wall for future catwalk installation						
6b	SHIP LOOSE: Trison 7" Aluminum tarp Pin Puller & Trison 5" Rubber Fastener						
	DLR to attach fastener, located Roadside to hold pin puller hooked on catwalk						
7	Add 2.5" HYD pressure gauge to frame (flush mount), beside the on/off handle with identifying label						
8	Add low profile grab handle, located on rear door post CS between lower hinge & next hinge up.						
12a	Units 1-8 with 26 slat: 2190 Slat (6 ridge - 3.5"W), 1212 Seals, T-Blocks at rear						
12b	Units 9-10 with 26 slat: 2299 Slat (1/2" Triple Ridge Impact - 3.5"W), 1212 Seals, T-Blocks at rear						
VIN#s	Unit 1	2TVWF5336VD000554	98980	Unit 6	2TVWF5335VD000559	98985	
	Unit 2	2TVWF5338VD000555	98981	Unit 7	2TVWF5331VD000560	98986	
	Unit 3	2TVWF533XVD000556	98982	Unit 8	2TVWF5333VD000561	98987	
	Unit 4	2TVWF5331VD000557	98983	Unit 9	2TVWF5335VD000562	98988	
	Unit 5	2TVWF5333VD000558	98984	Unit 10	2TVWF5337VD000563	98989	
Freight & Brokerage Fees are not included.							
Any & all applicable Federal or State/Provincial Taxes are not included and are the responsibility of the customer.							
DATE: 06-May-26						Sub Total (3)	
SUBMITTED BY						Sub Total (2)	
Customer						Sub Total (1)	
						TOTAL PRICE PER UNIT	
						TOTAL COST	
						Discount @	
						NET COST CAD\$	

Titan Trailers Inc.

PAINT FORM

Customer

OT Stock

Titan Work Order #

7699

Dealer

Ocean Trailer

DLR #

DLR PO #

98980-98987, 98988-98989

QTY

10

Trailer Type

53-3TWWF OT

If paint colours are Titan Red, Black, or Silver please enter Titan under product name & no code is required

If Painted please fill out below fields

		Paint Colour	Product Name	Paint Code
Body	Natural Aluminum			
Frame	Natural Aluminum			
Clear Coat (Aluprotex)	No			

		Paint Colour	Product Name	Paint Code
	Running Gear	Black	Titan	None
	Galvanized Hangers	No		

		Paint Colour	Product Name	Paint Code
Ladder(s)	N/A			
Catwalk(s)	N/A			

		Paint Chip Required	No
--	--	---------------------	----

Orders with steel air tanks will be painted Base Grey

Order with steel couplers will be painted Titan Black

Additional Specifications

Dealer Signature

Date

TITAN TRAILERS - TRAILER WIRING SCHEMATICS

1129 Hwy #3, R.R. #3
Delhi, Ontario
Canada, N4B 2W6

Wiring Specs

53-3TWWF OT


Phone: 519-688-4826
Fax: 519-688-3083
www.titantrailers.com

Work Order	7699
DLR PO #	98980-98987, 98988-98989
Quantity	10

Customer	OT Stock
Dealer	Ocean Trailer
Dealer #	

Main

STD 7-WAY PLUG



#	COLOUR	FUNCTION
1	WHITE	Ground
2	BLACK	Front/rear cls,ID,License
3	YELLOW	Left Turn, Hazard
4	RED	Stop Lamps
5	GREEN	Right Turn, Hazard
6	BROWN	Side Marker, Tail lights
7	BLUE	ABS

Aux

None

#	COLOUR	FUNCTION
1	WHITE	
2	BLACK	
3	YELLOW	
4	RED	
5	GREEN	
6	BROWN	
7	BLUE	

STD 7-WAY PLUG

ISO 7-WAY PLUG

Plug Information needed no later that the following date:

Failure to meet this date will delay trailer completion.

Dealer


Signature:

Date:

Date form returned:

Trailer Sales Initials:

THIS DRAWING CONFIRMS BASIC TRAILER DIMENSIONS; OVERALL HEIGHT, OVERALL LENGTH, PIN SETTING AND AXLE POSITIONS ONLY. TRAILER OPTIONS MUST BE VERIFIED BY REFERRING TO THE SALES ORDER. ANY DISCREPANCIES MUST BE REPORTED TO TITAN TRAILERS INC.



DEALER NO

APPROVED BY	
SIGNATURE	DATE

TRAILER

WOODCHIP APPLICATION

DRAIN BY	SCALE	DATE	DRMS
SCG	50	6-May-2026	AD-7699-01-V1

DRYING
AD-7699-01-V1

REVISION	01
----------	----

Titan Trailers Inc.

Manual Trison Side Roll (West Coast Bungee) Tarp Form



Trailer Info

Work Order #	7699	Ref #	Dup 7575	Trailer Type	53-3TWWF OT
Customer Name	OT Stock		Dealer	Ocean Trailer	
Trailer Length	53'	Trailer Width	102" Nominal	Tarp Headers	Flat Front & Rear

Tarp Info

Rolls Open To	Curbside													
Tarp Colour	Black	Extra Tarp Width	NO X	YES	QTY									
Tarp Material	Vinyl	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="3">Vinyl Material: Drain Holes Required?</th> </tr> <tr> <td>NO</td> <td>YES</td> <td>QTY</td> </tr> <tr> <td></td> <td>X</td> <td>9</td> </tr> </table>				Vinyl Material: Drain Holes Required?			NO	YES	QTY		X	9
Vinyl Material: Drain Holes Required?														
NO	YES	QTY												
	X	9												

Location of drain holes will be determined by trailer design as per Trison's recommendation. Std size is 2" x 2" mesh.

	NO	YES		NO	YES
Front Flap	X		Rear Flap	X	
	3"	6"		QTY	
Offset Tarp Stops		X		8	

	ROADSIDE	CURBSIDE	QTY
Cable & Bungees Located	X		5

Pull Rope Style	V-Rope (2 to 1 pull rope)
------------------------	---------------------------

	FRONT	CATWALK	REAR
Tarp Crank Location	X	X	OR

Tarp crank length will be determined by location

Trison's West Coast Bungee Tarp Standards

- 1) Trison to install (1) chain & binder front & rear with (5) cables & bungees evenly spaced between
- 2) Trison to install rubber wind deflector on Front
- 3) Titan to install tarp hooks and white UHMW pads at the joint of each cable & bungee before going to Trison.
- 4) Titan to provide storage for crank handle

Additional Notes

1) Trison to provide 7' tarp pin puller & rubber fastener - SHIP LOOSE

Customer Signature

Date