Confirmation

Wilson TRAILER
Since 1890... A Good Name to Have Behind You!™

4400 So Lewis Blvd
PO Box 6300
SIOUX CITY, IA 51106

Phone: 712-252-6500
Fax: 712-252-6510

Type of order.....: Flatbed
Number .....: 637766-1
Mfg. Location .....: Plant 6
Order date.....: 6/30/2026
Revision date .....: 6/30/2026
Requested ship date .....: 11/14/2026
Customer Account .....: 100439

Dealer's customer info.: PO#99644-REF 632201

Trailer number.....: 637766
Model Year.....: 2027
VIN number.....:
Sales person .....: Schlines, Danielle L
Salesperson phone .....: 712-252-6539

OCEAN TRAILER - (PTS/TRL)
9076 RIVER RD
DELTA, BC V4G 1B5
CAN

Contact person.....:
Customer phone .....: 204-940-7364

Unit #99644-99646

Pblite Revision .....: 1

	Description	Quantity
1)	MODEL CD-1080	
2)	TRAILER BUILT FOR EXPORT TO CANADA	
3)	--INSTALL CANADIAN VIN PLATE ILO US	
4)	2026 PRODUCTION	
5)	--FLATBED PRICING IS SUBJECT TO ADJUSTMENT UP TO NINETY (90) DAYS BEFORE PRODUCTION OF YOUR ORDER	
6)	--(90) DAYS FROM THE START OF PRODUCTION YOU WILL RECEIVE NOTICE IF PRICING ADJUSTMENT IS REQUIRED	
7)	--CUSTOMER HAS THE RIGHT TO ACCEPT THE ADJUSTMENT OR CANCEL THE ORDER	
8)	LENGTH 53 FT	
9)	WIDTH 102"	
10)	FIFTH WHEEL HEIGHT 48" (STD)	
11)	KING PIN 30" (STD)	
12)	KING PIN CORSOL PAINTED (STD)	
13)	10-3/4" KING PIN BEAM DEPTH (STD)	
14)	STANDARD KING PIN	
15)	JOST UL550 ULTRALIGHT LANDING GEAR W/ CUSHION FOOT (STD)	
16)	11' TOP DECK LENGTH (STD)	
17)	REAR DECK HEIGHT 39-1/2" (22.5 TIRES) (STD)	
18)	FRONT DROP - 21" (STD)	
19)	GN SLOPE - SQUARE (STD)	
20)	SUSPENSION SETTING - CAL/TAC LEGAL	
	40' FROM KING PIN TO CENTER OF REAR AXLE CLOSED	
21)	FRICTION SLIDER (AA250L INTRAAX) REAR AXLE SLIDE TANDEM	
22)	MANUAL SUSPENSION DUMP (STD)	
23)	HENDRICKSON HEIGHT CONTROL VALVE (STD)	
24)	HENDRICKSON TIREMAAX PRO TIRE INFLATION SYSTEM TANDEM	
25)	AIR GAUGE FOR AIR RIDE (100 PSI) W/MANUAL DUMP IN SEALED METAL BOX W/LATCH	
	LOCATE ON DS AHEADOF LANDING GEAR	
26)	ABS BENDIX (EATON) 4S/2M	
27)	INTRAAX EXTENDED SERVICE BRAKES (PER AXLE) (STD)	(2)
28)	TAPERED SPINDLE W/ TN BEARINGS (PER AXLE) (STD)	(2)

29) OIL LUBE (STD) (2)
30) STEMCO GUARDIAN SEAL (#3070743) (STD) (2)
31) STEMCO ALUMINUM HUBCAP (STD) (2)
32) AXILOCK SPINDLE NUT (STD) (2)
33) DUST SHIELDS - STEEL (PER AXLE) (2)
34) DURALITE HUBS/CENTRIFUSE DRUMS (PER AXLE) (2)
35) WABCO BRAKE CHAMBER (STD) (2)
36) HALDEX AUTO SLACK ADJUSTERS (STD) (PER AXLE) (2)
37) TRAMEC SPRING BRAKE VALVE (STD) (2)
38) MUDFLAP BRACKETS ONLY FOR FRONT AXLE
39) MUDFLAPS- BLACK RUBBER WTC FOR SET AHEAD REAR AXLE
40) WHEEL ALUM (HP) ALCOA ULTRA ONE 10HOLE 8.25X22.5 (PER EA) (8)
41) ROADX RH652 255/70R 22.5 LR-H (8)
42) ***TIRES ARE SUBJECT TO AVAILABILITY, IF A SUBSITUTE TIRE MUST BE USED THE SALE PRICE WILL BE ADJUSTED ACCORDINGLY***
43) PLASTIC LINER (SET OF 8) BETWEEN HUB/WHEEL & WHEEL
44) FLOOR ALUM 1-3/8 (4) NAILERS (PER FT) (53)
45) 18" X-BAR SPACING 4-1/2" ALUM (MAIN BED) (STD) (42)
46) T-J SIDE RAIL 6-1/4" W/POCKETS ROUTED OUT ONLY ON 24" CTRS
47) T-J SIDE RAIL SPACERS (PER FT) (53)
48) KNEE BRACES (STD)
49) BUMPER WITH ALUMINUM R.I.G. (STD)
50) FRONT CORNER POCKETS TURNED TO SIDE (STD)
51) FRONT STAKE POCKETS (PER EA) (2)
52) GLADHANDS & 7-WAY CONNECTIONS AT FRONT (STD)
53) GROTE LED MICRO NOVA CLEARANCE LIGHTS
54) RECESSED IN GROTE RUBBER GROMMET
55) PACKAGE B - 4 EXTRA (ROW OF 5)
56) SPACE LIGHTS EQUALLY - GIVE PRIORITY TO WINCH STRAP CLEARANCE
57) GROTE LED CENTER TURN RECESSED IN GROMMET W/BEZEL
58) GROTE CLUSTER OF 3 LED TAIL LIGHTS W/SS FLANGE (SCREW-IN)
59) INSTALL POLISHED SS BEZEL (SCREW-IN) OVER MICRONOVA LIGHT (STD PACKAGE)
60) INSTALL POLISHED SS BEZEL (SCREW-IN) OVER MICRONOVA LIGHT (PER EA) (4)
61) WIDE LOAD TELESCOPING LIGHTS 2 SETS OF 2 WIRED DIRECT
62) EXTRA 4-WAY PLUG
63) EXTRA PLUG LOCATION - SPECIFY LOCATION (COMMENT REQUIRED)
REAR FOR OVER DIMENSION LIGHTS
64) IN-RAIL TIE DOWN (PER EA) (22)
65) IN-RAIL TIE DOWN LOCATION - EVENLY DISTRIBUTED OVER LENGTH
2 ON UPPER DECK, BALANCE ON THE BOTTOM DECK
66) KINEDYNE WINCH FIXED LO-PRO 3-BAR WITH CLAW HOOK KYN14001 (PER EA) (23)
67) PERMANENT WINCH LOCATION - DS/CS STAGGERED SPACED EVENLY
5 UPPER DECK, ONE PERSIDE BETWEEN AXLE OPENINGS
68) ROPE HOOKS - C STYLE (STANDARD HOOK) SIDES, REAR & FRONT
69) ROPE HOOK LOCATION - SIDE MOUNT
70) AERO TOOL BOX 24D X 18H X 60L CAM LOCKS W/ 2 POLISHED DOORS (2)
71) TOOL BOX LOCATION - AT DROP DS & CS
72) MOUNT AS HIGH AND CLOSE TO BEAM AS POSSIBLE
73) PAINT CORSOL WITH BLACK TOP COAT (DUPONT N0001EZ)
74) INSTALL CONSPICUITY TAPE ON SIDE RAIL
75) TAPE STRIPE COLOR BLACK
76) INSTALL DECALS AT STANDARD LOCATIONS
77) REGISTRATION HOLDER - TUBE TYPE (STD)
78) CUSTOMER IS RESPONSIBLE FOR SECURING DECKED TRAILERS AND COMPLYING WITH LOAD HEIGHT RESTRICTIONS
79) APPROVAL DRAWING - SIDE VIEW OF LIGHT AND SUSPENSION LOCATIONS

Requested delivery date.: 11/14/2026

Date:_____

Signature:_____