



4400 So Lewis Blvd
PO Box 6300
SIOUX CITY, IA 51106

Phone: 712-252-6500
Fax: 712-252-6510

Dealer's customer info.: Consign.-PO#99650-ref 632180

OCEAN TRAILER - (PTS/TRL)
9076 RIVER RD
DELTA, BC V4G 1B5
CAN

Unit #99650-99652

Confirmation

Type of order.....: Flatbed
Number: 637772-3
Mfg. Location: Plant 6
Order date.....: 6/30/2026
Revision date: 10/13/2026
Requested ship date: 10/31/2026
Customer Account: 100439

Trailer number.....: 637772
Model Year.....: 2027
VIN number.....: 1W1K55334V6637772
Sales person: Schlimes, Danielle L
Salesperson phone: 712-252-6539

Contact person.....:
Customer phone: 204-940-7364

Pblite Revision: 2



Description	Quantity	Price
1) MODEL CF-1080 (25 INCH BEAM)		
2) TRAILER BUILT FOR EXPORT TO CANADA		
3) --INSTALL CANADIAN VIN PLATE ILO US		
4) 2026 PRODUCTION		
5) --FLATBED PRICING IS SUBJECT TO ADJUSTMENT UP TO NINETY (90) DAYS BEFORE PRODUCTION OF YOUR ORDER		
6) --(90) DAYS FROM THE START OF PRODUCTION YOU WILL RECEIVE NOTICE IF PRICING ADJUSTMENT IS REQUIRED		
7) --CUSTOMER HAS THE RIGHT TO ACCEPT THE ADJUSTMENT OR CANCEL THE ORDER		
8) LENGTH 53 FT		
9) WIDTH 102"		
10) FIFTH WHEEL HEIGHT 48" (STD)		
11) KING PIN 18"		
12) KING PIN CORSOL PAINTED (STD)		
13) LOW PROFILE 8-3/4" KING PIN ASSY DEPTH (STD)		
14) STANDARD KING PIN		
15) JOST UL550 ULTRALIGHT LANDING GEAR W/ CUSHION FOOT (STD)		
16) LANDING GEAR BRACES - ALUMINUM		
17) SUSPENSION SETTING - (TAC LEGAL) MAXIMUM DISTANCE		
18) TRIAXLE INTRAAX AANT-230 AIR RIDE (61 SPREAD)		
19) MANUAL SUSPENSION DUMP (STD)		
20) HENDRICKSON HEIGHT CONTROL VALVE (STD)		
21) AIR GAUGE (100 PSI) W/MANUAL DUMP IN PLASTIC BOX		
<i>D/S ahead of the landing gear</i>		
22) ABS BENDIX (EATON) 4S/2M		
23) INTRAAX EXTENDED SERVICE BRAKES (PER AXLE) (STD)	(3)	
24) TAPERED SPINDLE W/ TN BEARINGS (PER AXLE) (STD)	(3)	
25) OIL LUBE (STD)	(3)	
26) STEMCO GUARDIAN SEAL (#3070743) (STD)	(3)	
27) STEMCO ALUMINUM HUBCAP (STD)	(3)	
28) AXILOCK SPINDLE NUT (STD)	(3)	
29) DUST SHIELDS - STEEL (PER AXLE)	(3)	
30) DURALITE HUB/CENTRIFUSE (SUPERLITE) DRUM (PER AXLE)	(3)	

- 31) WABCO BRAKE CHAMBER (STD) (3)
- 32) HALDEX AUTO SLACK ADJUSTERS (STD) (3)
- 33) TRAMEC SPRING BRAKE VALVE (STD) (3)
- 34) MUDFLAPS- BLACK RUBBER WTC FOR SET AHEAD REAR AXLE
- 35) WHEEL ALUM (HP) ALCOA ULTRA ONE 10HOLE 8.25X22.5 (PER EA) (12)
- 36) ROADX RH652 295/75R 22.5 LR-G (12)
- 37) ***TIRES ARE SUBJECT TO AVAILABILITY, IF A SUBSITUTE TIRE MUST BE
USED THE SALE PRICE WILL BE ADJUSTED ACCORDINGLY***
- 38) PLASTIC LINER (SET OF 6) BETWEEN HUB/WHEEL
- 39) FLOOR ALUM 1-3/8 (4) NAILERS (PER FT) (53)
- 40) 18 IN. X-BAR SPACING 4-1/2" ALUM (STD) (102") (53)
- 41) T-J SIDE RAIL 6-1/4" W/POCKETS ROUTED OUT ONLY ON 24" CTRS
- 42) T-J SIDE RAIL SPACERS (PER FT) (53)
- 43) SEAL ENTIRE FLOORS ALONG THE BEAMS
- 44) 1-PIECE ALUMINUM REAR END (STD)
- 45) POLISHED ALUMINUM (SMOOTH FINISH) RIG FILLER
- 46) FRONT CORNER POCKETS TURNED TO SIDE (STD)
- 47) GLADHANDS & 7-WAY CONNECTIONS AT FRONT (STD)
- 48) GROTE 2" ROUND PC RATED RECESS LED CLEARANCE LIGHTS ILO STD
- 49) RECESSED IN GROTE RUBBER GROMMET
- 50) PACKAGE B - 4 EXTRA (ROW OF 5)
- 51) SPACE LIGHTS EQUALLY - GIVE PRIORITY TO WINCH STRAP CLEARANCE
- 52) GROTE LED CENTER TURN RECESSED IN GROMMET
- 53) GROTE LED 4" ROUND TAIL LIGHTS CLUSTER OF 3 (GROMMET) (STD)
- 54) EXTRA 4-WAY PLUG
- 55) EXTRA PLUG LOCATION - SPECIFY LOCATION (COMMENT REQUIRED)
AT REAR FOR OVER DEMINSION LIGHTS
- 56) IN-RAIL TIE DOWN (PER EA) (22)
- 57) IN-RAIL TIE DOWN LOCATION - EVENLY DISTRIBUTED OVER LENGTH
- 58) KINEDYNE WINCH FIXED LOW-PRO 3-BAR WITH CLAW HOOK KYN14001 (26)
(PER EA)
- 59) PERMANENT WINCH LOCATION - DS/CS STAGGERED SPACED EVENLY
- 60) ROPE HOOKS - C STYLE (STANDARD HOOK) SIDES, REAR & FRONT
- 61) ROPE HOOK LOCATION - SIDE MOUNT
- 62) AERO TOOL BOX 24D X 24H X 60L W/ 2 POLISHED DOORS (2)
- 63) TOOL BOX LOCATION - BEHIND LANDING GEAR BOTH SIDES
- 64) MOUNT AS HIGH AND CLOSE TO BEAM AS POSSIBLE
- 65) DUNNAGE RACK: 10FT LONG X 12IN TALL OUTSIDE BEAMS X-BAR MOUNT
WITH .184 PUNCHED OVAL FLOOR PAN
- 66) DUNNAGE STORAGE LOCATION - AHEAD OF FRONT AXLE CS
- 67) PAINT CORSOL WITH BLACK TOP COAT (DUPONT N0001EZ)
- 68) INSTALL CONSPICUITY TAPE ON MAIN BEAMS
- 69) TAPE STRIPE COLOR BLACK
- 70) INSTALL DECALS AT STANDARD LOCATIONS
- 71) REGISTRATION HOLDER - TUBE TYPE (STD)
- 72) CUSTOMER IS RESPONSIBLE FOR SECURING DECKED TRAILERS AND
COMPLYING WITH LOAD HEIGHT RESTRICTIONS
- 73) APPROVAL DRAWING - REAR END
- 74) APPROVAL DRAWING - SIDE VIEW OF LIGHT AND SUSPENSION LOCATIONS
- 75) APPROVAL DRAWING - SIDE VIEW W/ARCH SHOWING DECK HEIGHTS

Requested delivery date.: 11/21/2026

Date: _____

Signature: _____