



Quote 12-May-26
New Order
FINAL
Revision

45-3TWHP OT (2 Hopper)

Ref# 7611 Dup/7223

CUSTOMER APPLICATION

Agri-Products

W/O# Quote

DATE: 12-May-26

SINGLE TRAILER

SPIF 1: Single / Tandem / Tridem

ORDER STATUS Quote

CUSTOMER NAME	OT Stock	PO #	
ADDRESS		DRAWING #	
CITY		CONTACT	
PROV/PC STATE/ZIP		DEALER	Ocean Trailer
PHONE		SHIP VIA	FOB Delhi, ON
E-mail		SALESMAN	Will Tucker
DEPOSIT REQUIRED		OFFICE USE	

Qty = 5

(MAY CHANGE, MUST BE CONFIRMED AT TIME OF ORDER)

SERIAL NUMBER/S	Pg 3	PRICING
BASE MODEL	45-3TWHP OT (2 Hopper)	STYLE Straight
PANEL CONFIGURATION	82-3/8"H: UBP, 4-14" ELD Panels, 12" V1 Top Panel with Integrated Latchplate Roadside	
OVERALL LENGTH	45'	OVERALL WIDTH 102" Nominal
OVERALL HEIGHT	11' 11-1/2" (143-1/2") approx	SIDE HEIGHT 82-3/8"
KING PIN LOCATION	15" BOLT IN	
UPPER COUPLER	Alum Coupler Assembly w/Steel wear plate (3" drop) - Set @ 48" High	
	PRIMARY	LIFT or STEERS
NUMBER OF AXLES	3	
AXLES	Intraax-Tapered Spindle	Note 8
AXLE TRACK	77.5"	
SUSPENSION	Intraax AAT 23K	
LOCATION OF SPREADS	See axle layout	
HUB & DRUM ASSEMBLY	10 Stud, Dura-Light Hub/Centrifuse Drum	
DISC WHEEL SIZE	8.25 x 22.5	
RIMS	ALUM LVL Outer/Inner	
TIRES	Brand	Bridgestone
	Size	11R22.5 - 41.4 dia
	Tread	R250 ED
	Ply	16
	Quantity	12
OVERALL HEIGHT (From Ground)	11' 11-1/2" (143-1/2") approx	
AXLE LAYOUT	FRONT-Prim-60-Prim-60-Prim-24-REAR	Sub(1)

Pg.2

Quote

			Note#	PRICING
OIL SEALS		To suit axles		
LUBRICANTS		Oil: 80W-90		
BRAKES	iABS	2S2M Meritor Wabco		
	Slack Adj./Caliper	DRUM BRAKES: Haldex Auto		
	Cam Enclos	DRUM BRAKES: All Axles & c/w dust shields		
LIFT KITS		None		
LIFT CONTROLS		None		
FRAME WIDTH		47-1/4"		
REAR BUMPER		None	4	
TIRE CARRIER		None		
LANDING GEAR		Jost Alumilight Series: AX151-G8 (5 YR maintenance free, 10 YR warranty) - Cushion Foot		
INTERIOR SLOPE	Angle	30 degrees		
	Material	All TW Panels		
WALL DIVIDERS FOR HOPPER		Yes: 1 position (TW Panel/Vented)		
HOPPER KNOCKRAIL/VIBRATOR		Manual knock rails		
HOPPER DOOR SIZE		24"W x 22"L (single door) - 24" ground clearance at 48" coupler height	9	
HOPPER DOOR OPERATOR		Dual crank direct drive (roadside/curbside)		
TARP HEADER		9" rise Front & Rear		
TARP BASKET		None		
TARP-See Tarp Form		Manual Michel's Sideroll tarp (Trison installed). Rolls open to Curbside.		
MUD FLAPS	Style	Titan Black Rubber		
	Location	(4) at landing gear, (2) ahead of prim group, (4) at rear		
PAINT- Paint Form	Body/Frame	Natural Aluminum		
	Suspension	Titan Black		
	Rims or Disc	Aluminum		
LIGHTS (LED standard)		Front: (2) mkrs. Sides: (3) mkrs (includes midturn). Rear: (5) mkrs at top, (9) 4" round red taillights (3-3-3).	1,2,3,5,6	
ADD SIDEWALL LIGHTS		Add (7) mkr lights per side, for a total of (5) Top & (5) Bottom		
ADD UPPER FRONT/REAR LIGHTS		Add High Mount Brake lights to take place of outer two mkrs at top		
ACCESS	Catwalk	Flat HP style, 12" grating front & rear, approx 30" down from top of sidewall		
	J-Ladder-Front	Roadside Full Height		
	J-Ladder-Rear	Roadside Full Height		
	Steps-Hopper Slope	Front to Rear-centerline of trailer		
	Steps-Front-Ins	Offset steps to roadside & on inside of roadside wall at front		
	Steps-Rear-Ins	Offset steps to roadside & on inside of roadside wall at rear		
FENDERS		None		
			Sub(2)	

