



Quote 13-May-26
 New Order
 FINAL
 Revision

45-3TWHP OT (3 Hopper) Ref# 7549 w/changes

CUSTOMER APPLICATION **Agri-Products (Seeding)**

W/O#
 DATE: 13-May-26

SINGLE TRAILER

SPIF 1: Single / Tandem / Tridem

ORDER STATUS **Quote**

CUSTOMER NAME	OT Stock	PO #		File #	
ADDRESS			DRAWING #		
CITY			CONTACT		
PROV/PC STATE/ZIP			DEALER	Ocean Trailer	
PHONE			SHIP VIA	FOB Delhi, ON	
E-mail			SALESMAN	Will Tucker	
DEPOSIT REQUIRED		OFFICE USE			

Qty = **1**

(MAY CHANGE, MUST BE CONFIRMED AT TIME OF ORDER)

SERIAL NUMBER/S				PRICING	
BASE MODEL		45-3TWHP OT (3 Hopper)		STYLE	Straight
PANEL CONFIGURATION		82-3/8"H: UBP, 4-14" ELD Panels, 12" V1 Top Panel with Integrated Latchplate Roadside			
OVERALL LENGTH		45'		OVERALL WIDTH	102" Nominal
OVERALL HEIGHT		11' 11-1/4" (143-1/4") approx		SIDE HEIGHT	82-3/8"
KING PIN LOCATION		15" BOLT IN			
UPPER COUPLER		Alum Coupler Assembly w/Steel wear plate (3" drop) - Set @ 48" High			
		PRIMARY		LIFT or STEERS	
NUMBER OF AXLES		3			
AXLES		Intraax-Tapered Spindle			
AXLE TRACK		77.5"			
SUSPENSION		Intraax AAT 23K		Note 8	
LOCATION OF SPREADS		See axle layout			
HUB & DRUM ASSEMBLY		10 Stud, Dura-Light Hub/Centrifuse Drum			
DISC WHEEL SIZE		8.25 x 22.5			
RIMS		ALUM LVL Outer/Inner			
TIRES	Brand	Bridgestone			
	Size	11R22.5 - 41.4 dia			
	Tread	R250 ED			
	Ply	16			
	Quantity	12			
OVERALL HEIGHT (From Ground)		11' 11-1/4" (143-1/4") approx			
AXLE LAYOUT		FRONT-Prim-60-Prim-60-Prim-24-REAR			
		Sub(1)			

45-3TWHP OT (3 Hopper)			Ref#	7549 w/changes	Pg.2	
CUSTOMER NAME:			OT Stock			
PO #		File #	S/N		W/O#	Quote
					Note#	PRICING
OIL SEALS		To suit axles				
LUBRICANTS		Oil: 80W-90				
BRAKES	iABS	2S2M Meritor Wabco			8	
	Slack Adj./Caliper	DRUM BRAKES: Haldex Auto				
	Cam Enclos	DRUM BRAKES: All Axles & c/w dust shields				
LIFT KITS		None				
LIFT CONTROLS		None				
FRAME WIDTH		47-1/4"				
REAR BUMPER		None			7	
TIRE CARRIER		None				
LANDING GEAR		Jost Alumilight Series: AX151-G8 (5 YR maintenance free, 10 YR warranty) - Cushion Foot				
INTERIOR SLOPE	Angle	30 degrees				
	Material	All TW Panels				
WALL DIVIDERS FOR HOPPER		Yes: 2 positions (TW Panel/Vented)				
HOPPER KNOCKRAIL/VIBRATOR		Manual knock rails				
HOPPER DOOR SIZE		24"W x 22"L (single door) - 25" ground clearance				
HOPPER DOOR OPERATOR		Std direct drive (roadside)				
TARP HEADER		9" rise Front & Rear				
TARP BASKET		None				
TARP-See Tarp Form		Manual Michel's Side Roll tarp (Trison installed). Rolls open to Curbside.				
MUD FLAPS	Style	Titan Black Rubber				
	Location	(4) at landing gear, (2) ahead of tridem, (4) at rear				
PAINT- Paint Form	Body/Frame	Natural Aluminum				
	Suspension	Titan Black				
	Rims or Disc	Aluminum				
LIGHTS (LED standard)		Front: (2) mkrs. Sides: (3) mkrs (includes midturn). Rear: (5) mkrs at top, (9) 4" round red taillights (3-3-3).			1-5	
ADD SIDEWALL LIGHTS		Add (7) mkr lights per side, for a total of (5) Top & (5) Bottom				
ADD UPPER FRONT/REAR LIGHTS		Add High Mount Brake lights to take place of outer two mkrs at top				
ACCESS	Catwalk	Flat HP style, 12" grating front & rear, approx 30" down from top of sidewall				
	J-Ladder-Front	Roadside Full Height				
	J-Ladder-Rear	Roadside Full Height				
	Steps-Hopper Slope	Front to Rear-centerline of trailer				
	Steps-Front-Ins	Offset steps to roadside & on inside of roadside wall at front				
	Steps-Rear-Ins	Offset steps to roadside & on inside of roadside wall at rear				
FENDERS		None				
					Sub(2)	

CUSTOMER NAME:

OT Stock

PO #

File #

S/N

W/O#	Quote
------	-------

[illegible]

Freight & Brokerage Fees are not included.

Any & all applicable Federal or State/Provincial Taxes are not included and are the responsibility of the customer.

DATE: 13-May-26

SUBMITTED

By

Signature

Date

Accepted By:

Signature

Sub Total (3)	
---------------	--

Sub Total (2)	
---------------	--

Sub Total (1)

TOTAL PRICE PER UNIT

TOTAL COST

NET COST

CAD\$